Firefly Floating Offshore Wind Power Project EIA-Scoping Report

2022.02.

Equinor South Korea Corp. Ltd.,

Table of Contents

Chapter1 Overview	1
1.1 Background & Purpose	3
1.2 Progress & Future Plans	5
1.3 The Basis for EIA	6
1.4 Contents of the Project	6
1.5 Details of the Project	8
1.6 Expected Effect	14
Chapter2 Designation of EIA Target Area	15
2.1 Designation of EIA Target Area	17
2.2 Prediction & Analysis of EIA	24
Chapter3 Land Use Plan	27
Chapter4 Regional Condition	31
4.1 General Status	33
4.2 Current Land Use	33
4.3 Designation Status of Environment-related District/Area	35

2	4.4 Environmental Standard	58
Z	4.5 Status of Facilities that Cause Environment Damage	63
Z	4.6 Current Status of Major Facilities Subject to Protection	64
Z	4.7 Current Status of Facilities Environmental Consideration Required	66
Z	4.8 Status of Environmental Basic Facilities	66
Z	4.9 Status of Fishing Rights	69
Ch	apter5 Setting of Evaluation Items & Scope	75
5	5.1 Extraction of factors environmentally influencing	77
5	5.2 Designation of Evaluation Items	77
5	5.3 Establishment of Evaluation Scope & Method for each Evaluation Item	79
5	5.4 Environmental Status Survey & Planning	81
Ch	apter6 Application for Simplified Evaluation Procedure	85
Ch	apter7 A plan to collect opinions from residents	89
7	7.1 Briefing on Gathering Residents' Opinions	91
7	7.2 Plan to Gather Consensus	91
Ch	apter8 The strategic EIA consultation & its reflection	93
Ch	apter9 Appendix	97
c	9.1 Documents about Generation Business Permission	99

Project Overview

- 1.1 Background and Purpose
- 1.2 History and Plan
- **1.3 Background of EIA Implementation**
- **1.4 Project Outline**
- 1.5 Project Details
- **1.6 Expectation**

Chapter 1 Project Overview

1.1 Background and Purpose

- Existing carbon-intensive traditional energy use causes environmental problems such as climate change and fine dust. Therefore, the energy transition policy toward clean energy resources is getting attention to reduce carbon emission and pursue sustainable development.
- As safe energy and environment issues get more attention around the world, the Korean government announced 「The 9th Master Plan for Electricity Supply and Demand(2020~2034)」, 「The 3rd Energy Master Plan」, 「The Korean New Deal」, and 「Renewable Energy 3020」 with a goal to raise energy supply of renewable energy by 2034 to 22.2%.
- 「The 5th Comprehensive National Territorial Planning(2020~2040)」 was announced to respond global changes in a systematic manner, Ulsan Metropolitan City has a plan of becoming a future energy hub to lead an energy transition by creating floating offshore wind farm and wind farm cluster for infrastructure.
- The project of firefly offshore wind farm aims to build a floating offshore wind farm, a power plant generating green energy with wind, in accordance with national energy policy, considering environment and safety.



Picture 1.1-1 Planned location for the project

Table 1.1-1 Deditidary of the offshole which farm				
Point	Coord	Domark		
Point	Latitude	Longitude	пешак	
P1	35°33'41.48"N	130°03'55.62"E	-	
P2	35°30'57.77"N	129°58'10.30"E	-	
P3	35°28'57.67"N	129°59'16.43"E	-	
P4	35°27'41.76"N	130°03'25.40"E	-	
P5	35°30'22.94"N	130°05'59.30"E	-	
P6	35°30'11.14"N	130°09'43.97"E	-	
P7	35°30'17.62"N	130°10'01.65"E	-	
P8	35°32'57.10"N	130°11'35.25"E	-	
P9	35°35'00.00"N	130°10'27.89"E	-	
P10	35°35'00.00"N	130°06'41.58"E	-	

Table 1.1-1 Boundary of the offshore wind farm





1.2 History and Plan

1.2.1 History

- 2020. 06. : LiDAR (2ea) installation
 - LiDAR 1 (latitude 35°30'55.40"N, longitude 130°2'18.39"E) : wind speed 8.91m/s (Avg.)
 - LiDAR 2 (latitude 35°32'59.42"N, longitude 130°7'56.39"E) : wind speed 8.99m/s (Avg.)
- \circ 2021. 08. 05 : Agreement ceremony for firefly offshore wind farm
 - (Equinor-Fishermen committee for offshore wind farm)
- ° 2021. 11. 30 : Project permission (Ministry of Trade, Industry and Energy 2021-120)

1.2.2 Plan

- Releasing results of the review by EIA Association (over 14 days)
- Submitting and publishing a draft of EIA (reviewed by agencies)
- Gathering residents' opinions (releasing how to reflect the opinions: over 14 days)
- Finalizing an agreement on EIA
- \circ Getting a permission for public waters and execution plan
- Getting a permission for construction
- Commencing construction

1.3 Background of EIA Implementation

- According to Article 22 of 「Environmental Impact Assessment Act」 and [Table 3] of Article 31 (2) of Enforcement Decree, we reviewed categories and scope of subjects to environmental impact assessment.
- As a result, this project building a wind farm with a capacity over 810MW is a subject to environmental impact assessment following 「Electric Utility Act」 because the capacity of a wind farm is over 100 MW.

Category	Type and scope of subjects to EIA	Requesting consultations
3. A plan to develop energy sources	 D. Installing one of electric facilities prescribed in Article 2(16) of 「Electric Utility Act」 1) Power plant with capacity over 10 MW; However, in case it comes with a dam or a reservoir, a plant over 3 MW, and in case of a plant in factory/industry site, over 30 MW, and in case of a plant using solar/<u>wind</u> energy and fuel cell, <u>over 100 MW</u> 	Before getting a permission or making a report about construction following Article 61 of 「Electric Utility Act」 or Article 8 of 「Electrical Safety Management Act」
Scale	∘ Capacity of a wind farm : 810 MW (810,000 kW)	

Table 1.3-1 Background of EIA Implementation

Reference: [Enforcement Decree of the Environmental Impact Assessment Act] [Table 3], Ministry of Environment

1.4 Project Outline

- Project : Firefly Floating Offshore Wind Powert Project
- · Category : Energy Sources Development (Offshore Wind Farm)
- Location : EEZ public waters, 60~70km away from the east coast of Ulsan Port (Ulsan Metropolitan city)
- Period
- Construction : January, 2024 ~ October, 2025
- Operation : October, 2025 ~ October, 2050 (25 years after commercial operation)
- Project operator : Equinor South Korea
- Permission agency : Ministry of Trade, Industry and Energy
- Consultation agency : Ministry of Environment
- Total cost : about 5 trillion 677 billion KRW
- Project scale
- Capacity : 810MW (15MW × 54ea)
- Total area : 154 km²
- Exclusive area using public waters : 154 km²

(will separate direct and indirect use after finalizing turbine locations, marine cable and other details)

- Marine and on-land substation/switching station, marine/ground power cable, etc.



Picture 1.4-1 Planned location of wind turbines

Dairt	Coordinate		Dairt	Coordinate	
Point	Latitude	Longitude	Point	Latitude	Longitude
WT-1	35°30'43.68"N	129°58'59.90"E	WT-28	35°32'41.99"N	130°04'58.23"E
WT-2	35°30'02.61"N	129°59'21.89"E	WT-29	35°31'58.46"N	130°05'22.01"E
WT-3	35°29'19.10"N	129°59'45.71"E	WT-30	35°33'50.30"N	130°05'34.72"E
WT-4	35°31'10.36"N	129°59'56.28"E	WT-31	35°31'14.93"N	130°05'45.79"E
WT-5	35°30'29.19"N	130°00'17.92"E	WT-32	35°33'08.53"N	130°05'54.32"E
WT-6	35°29'45.68"N	130°00'41.74"E	WT-33	35°32'25.00"N	130°06'18.10"E
WT-7	35°31'37.04"N	130°00'52.66"E	WT-34	35°34'16.23"N	130°06'29.68"E
WT-8	35°29'02.17"N	130°01'05.55"E	WT-35	35°31'41.46"N	130°06'41.87"E
WT-9	35°30'55.77"N	130°01'13.96"E	WT-36	35°33'35.05"N	130°06'50.42"E
WT-10	35°30'12.25"N	130°01'37.77"E	WT-37	35°30'57.93"N	130°07'05.64"E
WT-11	35°32'03.70"N	130°01'49.05"E	WT-38	35°32'51.52"N	130°07'14.19"E
WT-12	35°29'28.74"N	130°02'01.58"E	WT-39	35°32'07.99"N	130°07'37.96"E
WT-13	35°31'22.33"N	130°02'10.01"E	WT-40	35°34'25.84"N	130°07'55.62"E
WT-14	35°28'45.22"N	130°02'25.37"E	WT-41	35°31'24.45"N	130°08'01.72"E
WT-15	35°30'38.82"N	130°02'33.82"E	WT-42	35°33'40.39"N	130°08'15.00"E
WT-16	35°32'30.36"N	130°02'45.45"E	WT-43	35°30'40.92"N	130°08'25.47"E
WT-17	35°29'55.30"N	130°02'57.62"E	WT-44	35°32'54.94"N	130°08'34.37"E
WT-18	35°31'48.89"N	130°03'06.07"E	WT-45	35°32'09.49"N	130°08'53.74"E
WT-19	35°29'11.78"N	130°03'21.41"E	WT-46	35°34'25.80"N	130°09'04.29"E
WT-20	35°31'05.37"N	130°03'29.87"E	WT-47	35°31'24.04"N	130°09'13.10"E
WT-21	35°32'57.02"N	130°03'41.87"E	WT-48	35°33'40.34"N	130°09'23.66"E
WT-22	35°30'21.85"N	130°03'53.66"E	WT-49	35°30'38.59"N	130°09'32.45"E
WT-23	35°32'15.44"N	130°04'02.14"E	WT-50	35°32'54.89"N	130°09'43.02"E
WT-24	35°29'38.33"N	130°04'17.45"E	WT-51	35°32'09.44"N	130°10'02.38"E
WT-25	35°31'31.92"N	130°04'25.94"E	WT-52	35°34'25.74"N	130°10'12.96"E
WT-26	35°33'23.66"N	130°04'38.29"E	WT-53	35°33'39.50"N	130°10'32.65"E
WT-27	35°30'48.40"N	130°04'49.72"E	WT-54	35°32'54.83"N	130°10'51.67"E

Table 1.4-1 Location of Wind Turbines

1.5 Project Details

1.5.1 Wind Turbine

A. Principle of Electricity Generation

- A wind turbine is a device converting the wind's kinetic energy into electrical energy with the rotation of horizontal blades(rotor) running a synchronous generator with permanent magnet. It consists of the below systems.
 - Rotor system : turning the wind's energy into rotational kinetic energy
 - Power transferring system : transferring mechanical energy from a rotor to power converting system
 - Power converting system : turning mechanical rotational energy into electrical energy and converting produced electricity to have required spec
 - Supplemental equipment : control system for automatic operation, supporting structure for rotor, power transferring system and others



Picture 1.5-1 Structure of Wind Turbine (Example)

B. Generator

• The wind turbine to be installed is planned to have 15 MW(54 ea in total) and the entire generation capacity will be 810 MW.



Picture 1.5-2 Specification of Wind Turbine

C. Floating

- The floating type of offshore wind farm can be classified by its shape and a mooring method into Spar Buoy, Semi- Sub, and Tension Leg Platform. We reviewed these three types to select the best floating body, considering each type's features.
- We select the Semi-Sub type because there are several Korean shipbuilding companies with experience in manufacturing the type. Therefore, multiple productions of floating bodies is possible during manufacture. Also, it is appropriate when considering manufacture, water depth, shipping, installation and maintenance.

Table 1.5-1 Different type of floating

Category Spar Buoy	Semi-Sub	Tension Leg Platform
--------------------	----------	----------------------



1) TRL : Technology Readiness Level

D. Mooring Equipment

- Mooring line is appropriate to Semi-sub floating, and general catenary will be selected, used for mooring system of floating wind farm, vessel mooring, and mooring system of Oil & Gas FPSO.
- Mooring system to secure catenary will be decided after oceanographic survey.

Category	Mooring Line	Mooring Anchor & Foundation (TBC)	
Design	Offset >	INT STEVPRIS NK6 '0 DD	
Туре	Catenary	Drag Anchor	Suction Pile

Table 1.5-2 Different mooring system

1.5.2 Power Transmission and Transformation

A. Offshore Substation

- Name : Substation of Firefly Offshore Wind Farm
- \circ Location : Firefly Offshore Wind Farm, Ulsan
- The entire capacity is 810 MW. Underwater cables (12 lines with 66 kV from each generator) will be connected to each turbine. At the offshore substation (floating or fixed type), the voltage will be raised to 230 kV and then it will be connected to the on-land substation.

Table 1.5-3 Installation	plan for o	offshore substation
--------------------------	------------	---------------------

Category	Standard	Voltage	Quantity
Switch	GIS	66kV	1

	HV GIS	230kV	1
Transformer	430 MVA	66kV/230kV	2
Transformer Service	500 kVA	66kV/380V	2

B. Transmission Line and Landing Point

- Underwater cable: From the offshore substation to the landing point in a length of about 70 km (along the pipelines for gas reservoirs in the East Sea of KNOC)
- Landing point: Onsan (Southern Ulsan) where underwater cable makes landfall
- Underground Transmission Line(landing point ~ on-land substation) : As making a landfall, the 3-phase cable will be separated into single-phase cable and connected to an on-land substation. The cable's length under/on the ground will be about 0.5km.

Table 1.5-4 Transmission line and landing point

Category		Quantity	Length	Voltage
Offshore Sub.	Landing Point	2	70 km	230 kV AC

C. On-land Substation

- Name : Transformation Room for Firefly Offshore Wind Farm (345kV)
- Location : Onsan, Southern Ulsan

Table 1.5-5 Standard for On-land Substation

Category	Standard	Voltage	Quantity
Switch	GIS	230kV	1
Switch	GIS	345kV	1
Transformer	480 MVA	230kV/345kV	2
Shunt Reactor	140 MVar	230kV	2

D. KEPCO Substation

- Name : Shinonsan Substation (345kV)
- \circ Location : 1140 Hwasan-li, Onsan-eup, Ulju-gun, Ulsan, Republic of Korea

E. Transmission Line

- Voltage : 230kV, 345kV
- Distance: about 75.5km (ocean: 70km, land: 5.5km)

Table 1.5-6 Transmission Lines (details)

Section	Length (km)	Capacity (MVA)	Voltage (kV)
On-land Sub. ~ Shinonsan Sub.	5	1,023	345
Landing Point ~ On-land Sub.	0.5	500 × 2ea	230
Offshore Sub. ~ Landing Point	70	420 × 2ea	230



Picture 1.5-3 Location of the offshore substation



Picture 1.5-4 Planned transmission (Land area)

1.6 Expectation Effect

- Wind farm generates electricity by turning the wind's kinetic energy into mechanical energy with blades. It contributes to achieving zero carbon as a green energy, promoting clean energy.
- As offshore wind farm is growing rapidly around the world, Korean government is carrying out government-led offshore wind farm projects. (Renewable Energy 3020)
- It can create new jobs while actively responding to the running-out of fossil fuel.
- Floating offshore wind farm can minimize environmental impact.
- \circ It produce green energy to meet renewable portfolio standards (RPS).
- It can present a good example of social acceptance with a co-existing model with residents.

Designation of EIA Target Area

Ch. 2

2.1 Designation of EIA Target Area

2.2 Prediction and Analysis of EIA

Chapter 2 Designation of EIA Target Area

2.1 Designation of EIA Target Area

- The target areas of EIA will be set to analyze environmental impact by predicting the area where the project could affect ecology, air, land, society and economy.
- The target areas of EIA are set based on 「Regulation on Creating Environment Impact Assessment, 2020.12.12, Notice by Ministry of Environment, No. 2020-289」, and 「Guideline for Target Area Set-up of Environment Impact Assessment, 2013.01, Ministry of Environment.

2.1.1 Spatial Scope

- General condition
- EEZ public waters, 60~70 km away from the east of Ulsan Port (Project site at Ulsan City)
- Ulju-gun and Dong-gu in Ulsan where transmission line will be laid
- Environmental condition
- Within 5 ${\rm km}$ from the project area and 5 ${\rm km}$ from transmission lines
- Predictable impact
- Sea area around the project(waters) and locals(land)

2.1.2 Time Scope

- Construction period: January, 2024 ~ October, 2025
- Operation period: October, 2025 ~ October, 2050 (25 years after starting commercial operation)

2.1.3 EIA Target Area Set-up by Category

- Major environmental impacts during the construction are floating particles cause by excavation to lay marine cables, environmental pollution and waste from construction and vessel operation, oil spill by marine accidents and others.
- In particular, operation could affect fishes due to electromagnetic field while wind turbine can create a noise as it rotates. Also, birds could collide with wind farm structure.
- Therefore, considering features of the project and location, target areas of EIA are set by each category as follows.

Category	Target	Description	Target Area of EIA	Time to Implement
	Land organisms	 Impact on habitat of land organisms A survey of the center of land 	 Project and the surrounding area (Including birds) Land structure: within 0.5 km 	Const. Ops.
Ecology	Marine organisms	 Impact on marine organisms by spread of suspended particles from offshore construction 	 Project and the surrounding area Marine structure: within 5 km 	Const. Ops.
	Environment	 Impact to the environment 	 Project and the surrounding area 	Const. Ops.
	Weather	 Gathering raw data to predict and analyze impacts 	 Project area and nearby weather station 	Const.
Air	Air quality	 Level and impact of air pollutants cause by construction equipment 	 Project and the surrounding area 	Const.
	Greenhouse gas	 Change in greenhouse gas emission following construction and operation 	 Project and the surrounding area 	Const. Ops.
	Water quality	 Impact from civil engineering (soil erosion) and wastewater 	 Project area and surrounding water ecosystem 	Const. Ops.
Water	Marine environment	 Impact from suspended particles when laying cables Change in water flow due to offshore floating structure 	 Project and the surrounding area Marine structure: within 5 km 	Const. Ops.
	Land use	 Change in use of lane and ocean since the project 	 Project and the surrounding area 	Ops.
	Soil	 Impact from labors and construction equipment 	 Project and the surrounding area 	Const.
Land	Geography/ Geographical features	 Geographical change by installing overland cables and substations Geographical change in ocean floor due to offshore substations and marine cables 	 Project and the surrounding area 	Const. Ops.
	Recycling	 Construction waste 	 Within the project area 	Const.
Lifestyle	Noise/ Vibration	 Impact when operating construction equipment Voise when operating wind turbines 	 Overland noise/vibration Project and the surrounding area Marine noise Marine structure: within 5 km 	Const. Ops.
	Landscape	 Affecting landscaped due to offshore structure 	 Project and the surrounding area 	Ops.
	Radio interference	 Impact from radio waves of a power pant 	 Project and the surrounding area Surrounding transmission lines 	Ops.
Society & Economy	Industry	 Industrial change due to the operation 	 Project and the surrounding area 	Ops.

Table 2.1-1 Target area of EIA

 Economy
 Image: Additional structure

 Footnote)
 Const.: (during) construction / Ops.: (during) operation

Category	Subject		Details	Result	
		Reg.1	 Vegetation Floras, the herptile, land insect : 150m Mammal/Bird : 500m Fish/Benthic macro-invertebrate : 100m 	1	
		Reg.2	-		
		Research	 Bird: habitat for migratory birds and path 	Project and the	
	Overland	Case 1	 Project and the surrounding area (Within 0.3 km from land structure) 	area (Including	
	organisms	Case 2	 Surrounding substations (Within 0.3 km from land substations) 	birds) (within 0.5km from land	
		Case 3	 Project and the surrounding area (including nearby island) 	structure)	
		Case 4	 Project and the surrounding area 		
		Case 5	 Project and the surrounding area 		
_		Case 6	-		
Ecology		Reg.1	-		
		Reg.2	-		
	Submarie organisms	Submarie	Research	 Fishery and marine resource: Within a 15 km radius and where underwater noise/ vibration reach Fish egg and larva: Within a 15 km radius Sea mammal: (estimated area) Water quality and sedimentary facies are affected, and underwater noise and vibration reach Others: Considering a result of marine modeling 	Project and the surrounding area (Including
		Case 1	• Within 4.0 km from the marine structure	birds)	
		Case 2	• Within 4.0 km from the marine structure	(within 5km	
		Case 3	 Within 4.0 km from the marine structure (in direction of the tidal current: within 4~12 km) 	structure)	
		Case 4	 Within 2.0 km from the project boundary 		
		Case 5	\circ Within 3.0 km from the project boundary		
		Case 6	\circ Within 2.0 km from the project boundary		
		Reg.1	-		
		Reg.2	 Within 500m (apply linear project) 		
		Research	-		
Atmospheric environment		Case 1	 Project and the surrounding area (Within 0.3 km from land structures) 	Project and the	
	Air quality	Case 2	 Project and the surrounding area (Within 0.3 km from land structures) 	surrounding area	
		Case 3	\circ Within 0.5 km from the project boundary		
		Case 4	\circ Within 2.0 km from the project boundary		
		Case 5	\circ Within 2.0 km from the project boundary		
		Case 6	 Within 2.0 km from the project boundary 		

Table 2.1-2 Reference for EIA set-up plan

Table	2.1-2	Continue

Category	Subject		Details	Result
		Reg.1	-	
		Reg.2	-	
		Research	 Considering a result of marine modeling 	
		Case 1	• Within 4.0 km from the marine structure	
	Water	Case 2	• Within 4.0 km from the marine structure	
	Quality	Case 3	 Within 4.0 km from the marine structure (in direction of the tidal current: within 4~12 km) 	
		Case 4	• Within 3.0 km from the project boundary	
		Case 5	• Within 3.0 km from the project boundary	
		Case 6	• Within 2.0 km from the project boundary	
		Reg.1	-	
		Reg.2	-	
		Research	 Considering a result of marine modeling 	
		Case 1	• Within 4.0 km from marine structure	_
	Marine	Case 2	• Within 4.0 km from marine structure	_
	sediment	Case 3	 Within 4.0 km from marine structure (in direction of the tidal current: within 4~12 km) 	Project and the surrounding area (within 5km from marine structure)
Marine		Case 4	\circ Within 3.0 km from the project boundary	
environment		Case 5	\circ Within 3.0 km from the project boundary	
		Case 6	 Within 2.0 km from the project boundary 	
		Reg.1	-	
		Reg.2	-	
		Research	-	
		Case 1	 Within 4.0 km from marine structure 	-
	Marine	Case 2	 Within 4.0 km from marine structure 	_
	geophysics	Case 3	 Within 4.0 km from marine structure (in direction of the tidal current: within 4~12 km) 	
		Case 4	\circ Within 3.0 km from the project boundary	_
		Case 5	\circ Within 3.0 km from the project boundary	
		Case 6	\circ Within 2.0 km from the project boundary	_
		Reg.1	-	_
		Reg.2	-	
	Spread of	Research	-	_
	suspended lands	Case 1	∘ Farthest spread distance: 2.5 ㎞ (구적)	_
	(1 mg/L)	Case 2	 Farthest spread distance: 7.96 km (0.2 mg/L) 	-
		Case 3	 Farthest spread distance: 0.12 km (1 mg/L) 	
		Case 4	 Farthest spread distance: 2.258 km 	

Case 5	 Farthest spread distance: 2.38 km (2 mg/L)
Case 6	◦ North and South: 14 ㎞ (구적) (2 mg/L)

Table 2.1-2 Continue

Category	Subject		Details	Result
		Reg.1	-	
		Reg.2	-	
		Research	• 1 km (depending on project scale)	Project and
		Case 1	-	the
	Marine noise	Case 2	-	area
		Case 3	 Power plant and surrounding sea area 	from marine
		Case 4	-	structure)
Noise/ Vibration		Case 5	-	
		Case 6	-	
	Overland noise/vibration	Reg.1	-	Project and the surrounding
		Reg.2	∘ Within 500m (선형사업 적용)	
		Research	-	
		Case 1	 Project and the surrounding area (Within 0.3 km from land structure) 	
		Case 2	• Within 1.5 km from marine structure (Within 0.3 km from land structure)	
		Case 3	• Within 0.5 km from the project boundary	area
		Case 4	• Within 1.0 km from the project boundary	
		Case 5	• Within 1.0 km from the project boundary	
		Case 6	• Within 1.0 km from the project boundary	

Mokpo Regional Office of Oceans and Fisheries 4. Case 1 : EIA on Test Bed of Hanlim Offshore Wind Farm, 2013.10, Korea Environment Institute 5. Case 2 : EIA on Handong Pyeongdae Offshore Wind Farm in Jeju, 2019. 12, Jeju Energy Corporation 6. Case 3 : EIA on Yeonggwang Nagwol Offshore Wind Farm, 2020. 9, Myeongun Development Company



 Case 4 : EIA on Heugsan-island Port Development, 2018. 2, Mokpo Regional Office of Oceans and Fisheries
 Case 5 : EIA on Tugboat Dock Construction at Mokpo New Port, 2018. 05, Mokpo Regional Office of Oceans and Fisheries
 Case 6 : EIA on Maintenance of Fishery Facility in Gyema Port (renegotiation), 2015. 06, Mokpo Regional Office of Oceans and Fisheries

Footnote 1) EIA on Test Bed of Hanlim Offshore Wind Farm, 2013.10, KEPCO E&C 2) EIA on Handong Pyeongdae Offshore Wind Farm in Jeju, 2019. 12, Jeju Energy Corporation

3) EIA on Yeonggwang Nagwol Offshore Wind Farm, 2020. 9, Myeongun Development Company

4) EIA on Heugsan-island Port Development, 2018. 2, Mokpo Regional Office of Oceans and Fisheries
5) EIA on Tugboat Dock Construction at Mokpo New Port, 2018. 05, Mokpo Regional Office of Oceans and Fisheries
6) EIA on Maintenance of Fishery Facility in Gyema Port (renegotiation), 2015. 06, Mokpo Regional Office of Oceans and Fisheries

Reference : 1. EIASS (www.eiass.go.kr) 2. Jeju EIA (www.jeju.go.kr)

Picture 2.1-1 Location of Reference Project



Picture 2.1-2 Map about EIA Target Area

2.2 Prediction and Analysis of EIA

• The followings are methods to predict and analysis environmental impacts during the project.

Category	Target	Description	Sources
Ecology	Land organisms	 Change in land organisms near ground cables Change in moving patterns of winder migrants and other legal protected species because of offshore wind farm 	 Site inspection (guideline on monitoring offshore wind farm, Environment Assessment Manual for Offshore Wind Farm) and literature review
	Marine organisms	 Analyzing the status of marine organism and comparing with literature review Checking the habitat of marine mammals and the impact on fishes due to operation noise and electromagnetic field 	 Site inspection Literature review (national marine ecosystem monitoring program, etc.) Standard for underwater noise damages
	Environment	 Distribution of natural environment resources around the project area and checking future impact 	 Related acts National Ecosystem Survey report
Air environment	Weather	 Analyzing weather data for the 10 years Checking general weather conditions near the project area Utilizing as baseline data to predict and analyze air conditions 	 Weather statistical yearbook
	Air quality	 Analyzing air quality around the project area Setting emission considering pollutant emission factors Calculating pollutant production and predicting concentration with a diffusion model (scattered dust, etc.) 	 Site inspection Standard for the measurements of air pollution Compilation of air pollutant emission factors, U.S. EPA AERMOD, U.S. EPA
	Greenhouse gas	 Predicting greenhouse gas emission during construction Predicting reduction of greenhouse gas emission after the operation 	 Related acts about greenhouse gas emission intensity
Water environment	Water quality	 Impact by soil runoff during construction Predict generation amount by construction personnel using statistics Project area (substation) and of surrounding water environment 	 Literature review (statistical yearbook) Method to calculate number of people to treat waste water by building's purpose

Table 2.2-1 Method for prediction and analysis

Marine environmen	 Analyzing marine environment around the project area Predicting impacts on marine environment with a numerical model test (sea water flow, sediment move, spread of suspended lands, wave change, etc.) 	 Site inspection (Guideline on Monitoring Offshore Wind Farm, Environment Assessment Manual for Offshore Wind Farm) and Literature review Standard methods for marine environment Numerical model test
----------------------	--	---

Table 2.2-1 Continue

Category	Target	Description	Sources
	Land use	 Predicting change in land use by analyzing business plan and related plan 	 Literature review (Statistical yearbook) Report on feasibility study
Land	Soil	 Checking the status of soil pollution Predicting soil pollution due to soil spill and obstacle removal 	 Site inspection Literature review (Factual survey on land pollution)
environment	Geography/ Geographical features	 Analyzing water depth and geological map Analyzing the geotechnical investigation on the project area Review on change in ocean floor due to project plan 	 Report on feasibility study contour map, geological map, stratum and bathymetric chart, geotechnical investigation, etc.
Lifestyle	Recycling	 Analyzing the trend of waste production based on statistics Predict generation amount by feature of waste ejector using statistics 	 Statistical yearbook Status of national waste production Standard of construction estimated price
	Noise/ Vibration	 Analyzing the status of noise and vibration around the project area Predicting effect by noise and vibration of construction based on their features and the distance-attenuation equation Predicting noise and vibration during operation 	 Site inspection (guideline on monitoring offshore wind farm, Environment Assessment Manual for Offshore Wind Farm) Measurement Method for Noise and Vibration Standard Study on vibration and noise of construction equipment and machine Standard for underwater noise damages Modeling on underwater noise
	Landscape	 Current status of landscape surrounding the project area Predicting the change by wind farm 	 Site inspection Literature review (Environmental Geographic Information Service) Analysis on landscape simulation
	Radio interference	 Predicting radio interference by transmission line during operation (underground and underwater) 	 Literature review (Home and abroad research, etc.)
Society economy	Industry	 Predicting the impact by the project on the local industry and economy 	 Literature review Related data about the project



Chapter 3 Land Use Plan

 This project is to build an offshore wind farm with the entire capacity of 810 MW in public waters of the exclusive economic zone (EEZ), 60~70 km away from the eastern Ulsan Port in Ulsan Metropolitan City.

Category	Description	Remark
Name	∘ Firefly Offshore Wind Farm	-
Location	 Public waters of the EZZ, 60~70 km away from the eastern part of Ulsan Port in Ulsan Metropolitan City 	-
Capacity	∘ 810 MW (15 MW × 54 ea)	-
Used Area/Point in Public Water	• 154 km²	-
Transmission Plan	 Underwater Transmission Cable: laying the cables in a length of about 70km along the pipelines for gas reservoirs in the East Sea of Korea National Oil Corporation (KNOC) Underground Transmission Cable: laying the cables from a landing point to the Shinonsan Substation in a length of about 5.5km 	-
N 1712 1	A CONTRACT OF A	
		1
		20km

Table 3-1 Project plan

Picture 3-1 Map about project area

Regional Condition

- 4.1 General Status
- 4.2 Current Land Use
- 4.3 Designation Status of Environment-related District/Area
- 4.4 Environmental Standard
- 4.5 Status of Facilities that Cause Environmental Damage
- 4.6 Current Status of Major Facilities Subject to Protection
- 4.7 Current Status of Facilities Environmental Consideration Required
- 4.8 Status of Environmental Basic Facilities
- 4.9 Status of Fishing Rights

Chapter 4 Regional Condition

4.1 General Status

- Baekdu-Daegan, a watershed-crest-line from Baekdusan Mountain to Taebaeksna Mountain and Jirisan Mountain, runs along with the East Sea and Nakdong River. Ulsan sits on the east from mountain-system, so-called *Yeongnam Alps*, including Gasigan Mountain, Neungdongsan Mountain, Shinbulsan Mountain and other mountains with a height over 1,000 m, while Taehwa River runs over 40 km through the city toward the East Sea. On the left side of the Taehwa river, there is an old downtown, Jung-gu, and on the right side, Nam-gu is placed and being developed quickly.
- The Dongcheon River flowing from the north, which is toward Gyeongju, flows into Ulsan Port from the Taehwa River and downstream, and Bangeojin Port and Jangsaengpo Port are located at both ends of the port. The hilly land of Yanghang Port, which formed the inner bank through these two ports, has 8 million pyeong of industrial water, and the ground is made of hard rock, making it easy to construct a factory. Also, industrial water is abundant in here.
- In Onsan Industrial Complex, southern Ulsan, there are many factories manufacturing nonferrous metal products and petrochemicals. The cluster with different-sized factories in related fields keeps the reputation of Ulsan City as an industrial city.

Address	End	Location of the End Point		
(City Hall)	Point	Address	Coordinate	(km)
201, Jungang-ro, Nam-gu, Ulsan, Republic of Korea	East	265-2, Dangsa-dong, Buk-gu	129° 27' 47''E	West East
	West	San143-2, Icheon-ri, Sangbuk- myeon, Ulju-gun	128° 58' 14"E	44.03
	South	374-3, Sinam-ri, Seosaeng-myeon, Ulju-gun	35° 19' 36"N	North-South
	North	San109-1, Bogan-ri, Duseo-myeon, Ulju-gun	35° 43' 19"N	43.18

Table 4.1-1 General details

Reference: 2020 Statistical Yearbook of Ulsan Metropolitan City, 2021, Ulsan Metropolitan City Hall

4.2 Current Land Use

4.2.1 Administrative District

- According to the survey on administrative districts in Ulsan Metropolitan City, the entire area is 1,062.04km² with 5 Gu·Gun, 5 Eup, 7 Myeon, 116 Dong, and 1,615 Tong·Li.
- In case of Ulju-gun, Ulsan Metropolitan City, near project areas, the entire area is 758.13km² with 5 Eup, 7 Myeon, and 376 Li, while Dong-gu has 36.07km² of total area with 17 Dong, and 228 Tong.

Cotogon	Area		CutCup		Eup·Myeon·Dong			Ton		g∙Li	HL
Calegory	km²	Ratio(%)	Guðun		Eup	Myeon	Dong		Tong	Li	판
Ulsan City	1,062.04	100.00	5	128	5	7	116	1,615	1,239	376	11,291
Ulju-gun	758.13	71.38	1	12	5	7	-	376	-	376	2,075
Dong-gu	36.07	3.40	1	17	-	-	17	228	228	-	1,465

Table 4.2-1 Administrative Districts

Reference : 2020 Statistical Yearbook of Ulsan Metropolitan City, 2021, Ulsan Metropolitan City Hall

4.2.2 Land Use by Purpose

- According to the survey on land use by purposes in Ulsan Metropolitan City, forest accounts for the largest portion with 667.34km²(62.84%) among the entire land area of 1,062.04km², followed by paddy of 92.64km²(8.72%), and building site of 51.45km²(4.84%).
- In case of Ulju-gun, Ulsan Metropolitan City, near project areas, forest also accounts for the largest portion with 518.56km²(68.40%) among the entire land area of 758.13km², followed by paddy of 71.56 km²(9.44%), and road of 25.85km²(3.41%).
- In case of Dong-gu, forest also accounts for the largest portion with 18.16km²(50.35%) among the entire land area of 36.07km², followed by building site of 4.67km²(12.95%), and road of 2.82km²(7.82%).

Category		Total	Field	Paddy	Forest	Building Site	Road	Others
Ulsan	Area(km²)	1,062.04	32.00	92.64	667.34	51.45	46.79	171.82
City	Rate(%)	100.00	3.01	8.72	62.84	4.84	4.41	16.18
Ulju- gun	Area(km²)	758.13	21.63	71.56	518.56	20.55	25.85	99.98
	Rate(%)	100.00	2.85	9.44	68.40	2.71	3.41	13.19
Dong-gu	Area(km²)	36.07	0.77	0.98	18.16	4.67	2.82	8.67
	Rate(%)	100.00	2.13	2.72	50.35	12.95	7.82	24.03

Table 4.2-2 Land use by purpose

Footnote) Others include orchard, mineral site, factory, pasture, school, parking lot, gas station, warehouse, railroad, river, bank, ditch, fish farm, water supply site, park, gym, amusement park, religion site, historic site, burial ground, etc.

Reference: 2020 Statistical Yearbook of Ulsan Metropolitan City, 2021, Ulsan Metropolitan City Hall

4.2.3 Use District

- According to the research for special-purpose areas in Ulsan Metropolitan City, among 1,144.60km² of the entire area, urban area consists of green area of 522.04km²(45.61%) and factory site of 82.44 km²(7.20%) in order while rural area is 382.87km²(33.45%).
- In case of Ulju-gun, Ulsan Metropolitan City, near the project area, among 839.62km² of the entire special-purpose area, urban area consists of green area of 352.72km²(42.01%) and undesignated area of 81.52km²(9.70%) in order while rural area is 345.60km²(41.16%).
- In case of Dong-gu, among 36.35km² of the entire special-purpose area, urban area consists of green area of 22.33km²(61.45%), and factory site of 7.03km² (19.34%) in order while rural area does not exist.

Category		Total	Urban Area						
		TOLAT	Subtotal	Residence	Business	Factory	Green	Un-Dsgn.	Rural Area
Ulsan	Area (km²)	1,144.60	761.73	68.00	7.68	82.44	522.04	81.57	382.87
City	Rate(%)	100.00	66.55	5.94	0.67	7.20	45.61	7.13	33.45
Ulju- gun	Area (km²)	839.62	494.02	22.24	1.64	35.90	352.72	81.52	345.60
	Rate(%)	100.00	58.84	2.65	0.20	4.28	42.01	9.70	41.16
Dong-gu	Area (km²)	36.35	36.35	6.14	0.80	7.03	22.33	0.05	-
	Rate(%)	100.00	100.00	16.89	2.20	19.34	61.45	0.12	-

Table 4.2-3 Status of Special=Purpose Area

Footnote) The entire area could be different from the data of land use by purpose

Un-Dsgn.: undesignatioin

Reference: National Statistical Portal (as of 2020), 2021, Statistics Korea

4.2.4 Coastline and Island

- According to the research on coastline and islands in Ulsan Metropolitan City, the length of the entire coastline is 168.80km and there are three uninhabited islands, and the total island area is 22.44km².
- It was investigated that the total coastline of Ulju-gun in Ulsan, adjacent to the project site, is 60.29km long, and the total island area is 21.82km² with two uninhabited islands(Area 21.82km²). In the case of Dong-gu, the total length of the coastline is 44.58km with no islands.

		Current Island						
Category	Coastline(km)	Ur	A roo(*)					
		Subtotal	Inhabited	Uninhabited	Area(km)			
Ulsan City	168.80	3	-	3	22.44			
Ulju-gun	60.29	2	-	2	21.82			
Dong-gu	44.58	-	-	-	-			

Table 4.2-4 Coastline and Island

Reference : 2020 Statistical Yearbook of Ulsan Metropolitan City, 2021, Ulsan Metropolitan City Hall

4.3 Designation Status of Environment-related District/Area

• The current status of designation of districts and regions related to the environment of the project site and surrounding areas is as follows.

Category	Name of protected areas	Relevant law	Designation status
	Environmental management area (Environmental conservation area and special management area)	Article 15 of the 「Marine Environment Management Act」	 1 place has been designated "Ulsan Coastal Special Management Sea" is about 48.6km apart to the west of the project site.
	Marine protection zone	Article 25 of the 「Marine Ecosystem Conservation and Management Act」	∘N/A
Environment -related conservation	Marine scenic area	Article 28 of the 「Framework Act on Maritime and Fisheries Development」 and Article 20 of the Enforcement Decree of the same Act	∘N/A
area	Specific island	Article 4 of the Special Act on Ecosystem Conservation of Island Areas such as Dokdo	∘N/A
	Natural environment conservation area	Article 6 of the 「National Land Planning and Utilization Act」	 Atotal of 43.51 km² has been designated. About 49.5km apart to northwest of the project site
	Fishery resource protection zone	Article 40 of the 「National Land Planning and Utilization Act」	∘N/A

Table 4.3-1 Designation status environment-related district/region
Category	gory Name of protected Relevant la		Designation status	
Environment -related conservation area	Uninhabited island	Article 10 of 「Act on the Conservation and Management of Uninhabited Islands」	 A total of 4 locations have been designated. 'Seonam' (the closest) is about 48.1km to the west of the project site. 	
	Reserved area	Article 46 of the 「Fisheries Resources Management Act」	∘ N/A	
	Wetland protection, wetland management, wetland improvement area and Ramsar wetland	Articles 8 and 9 of the 「Wetland Conservation Act」	 One location is designated. The 'Mujechinup' wetland protection area is about 74.4km apart to west of the project site. 	
	Ecology/landscape conservation area and city/province ecology/landscape conservation area	「Natural Environment Conservation Act」 Articles 12 and 23	 One location is designated. 'Taehwa River' is about 54.1km apart to the west of the project site. 	
	Fishery resource management water	「Fisheries Resources Management Act」 Article 48	 One location is designated. 'Aquatic resource management water in Jujeon Sea Forest' is about 46.0km apart to the west of the project site. 	
	Wildlife conservation area	Article 33 of the 「Wildlife Protection and Management Act」	 A total of 5 locations have been designated. 'Songjeong-dong, Buk-gu, Ulsan' (the closest) is about 53.4km apart to the west of the project site. 	
	Special protection area for wildlife	Article 27 of the 「Wildlife Protection and Management Act」	∘ N/A	
	Natural park	「Natural Parks Act」 Article 4	 A total of 2 locations have been designated. 'Gajisan' (the closest) is about 73.4km to the west of the project site. 	
	Designated sea area	Article 71 of the 「Agricultural and Fishery Products Quality Control Act」	• N/A	
	Fishery management area	Article 5 of the 「Fishery Management Act」	• N/A	
	Protective property or area.	Article 27 of the 「Cultural Property Protection Act」	 A total of 30 sites have been designated within a radius of about 5km from the Ulsan Metropolitan City coastline. 'Ugasan Yupo Bongsudae' (the closest) is about 47.1km to the west of the project site. 	
	Natural monument	Article 25 of the 「Cultural Property Protection Act」	 A total of 3 locations have been designated. 'Ulju Mokdo Evergreen Forest' is about 56.2km to the west of the project site. 	

Category	Name of	Relevant law	Designation status		
	Water source protection area	Article 7 of the 「Waterworks Act」	 A total of 2 locations have been designated. 'Hoeya Dam' (the closest) is about 61.7 km to the west of the project site. 		
	Waterfront area	Article 4 of the Act on the 「Management and Support for Residents in the Yeongsangang River and Seomjin River Basin」	 One location is designated. 'Sangbuk-myeon, Ulju-gun (Icheon-ri and Sohor-ri only)' is about 85.5km west of the planned project site. 		
	Forest genetic resource protection area	Article 7 of the	 A total of 5 locations have been designated. 'Ulsan Daeunsan Wetland' (the closest) is about 66.7km to the west of the project site. 		
	Ecosystem change observation area	Article 31 of the 「Natural Environment Conservation Act」	 A total of 2 locations are designated. 'Gajisan' (the closest) is about 73.4km to the west of the project site. 		
Environment	Habitats for migratory birds	Ministry of Environment	 'Taehwa River', a major migratory bird habitats designated by the Ministry of Environment A total of 5 winter bird habitats have been designated. 'Ulsan-Guryongpo Coast' (the closest) is about 45.0km to the west of the project site. 		
conservation	Geopark	Article 34-3 of the 「Natural Environment Conservation Act」	• N/A		
urou	Baekdudaegan protected area	Article 6 of the Act on the 「Protection of Baekdu- daegan」	• N/A		
	Sea area separation for ecological classification	Article 13 of the 「Marine Environment Conservation and Utilization Act」	 Corresponding to the open sea of the Korea Strait and the East Sea 		
	Areas by grade according to ecology and nature	Article 34 of the 「Natural Environment Conservation Act」 and Article 24 & 25 of the same enforcement decree	• N/A		
	Marine eco-map	Article 12 of the 「Act on the Conservation and Management of Marine Ecosystems」	• N/A		
	Establishment and management of specific sea areas for traffic safety	Article 10 of the 「Maritime Safety Act」	 One location is designated. About 36.3km west to the "Ulsan District" project site. 		

Table 4.3-1 Continue

Category	Name of protected areas	Relevant law	Designation status	
	Range of Low sulfur oil supply area & facilities	Article 41 of the 「Air Environment Conservation Act」 and Article 40 of the Enforcement Decree of the same Act	 Ulsan Metropolitan City has been designated as a heavy oil supply and use area with a sulfur content of 0.3% or less. 	
	Areas to which discharge limit (wastewater) is applied	Article 32 of the 「Water Environment Conservation Act」	∘ Onsan-eup is designated as "B" area	
Environment	Special measures area	Article 38 of the 「Environmental Policy Framework Act」	 One location is designated. 'Ulsan Mipo and Onsan National Industrial Complex' is about 47.6km to the west of the project site. 	
- related conservation area	Coastal pollution control area	Article 15 of the 「Marine Environment Management Act」, Ministry of Oceans and Fisheries Directive No. 404.	 One location is designated. The 'Total Pollution Control Area in the Specially Managed Sea of Ulsan Coast' is about 54.1km to the west of the project site. 	
	Discharge facility installation- restricted area	Article 33 of the 「Water Environment Conservation Act」	• N/A	
	Air quality management area	Article 1 of the 「Special Act on the Improvement of Air Quality in Air Quality Management Areas」 and Article 2 of the Enforcement Decree of the same Act	∘ All Ulsan Metropolitan City designated as air quality management area	
	Malodor control area	Article 6 of 「Malodor Prevention Act」	 A total of 4 locations are designated. 	
Environment al Conservatio n Area	Total water pollution load management	Article 9 of 「Act on Water Management and Residents Support in the Nakdong River Basin」 and Article 4 of the 「Water Environment Conservation Act」	 A part of Sangbuk-myeon, Ulju-gun, designated as a total water pollution management area 	
	Natural asbestos management area.	Article 14 of the 「Asbestos Safety Control Act」	• N/A	
	Training area	Article 12 of the 「Ocean Spatial Planning and Management Act」	 One location is designated. - 'R-119 Naval Training Area' is partially in conflict with the planned project site. 	

Note) The separation distance is the shortest distance between the project site and the protected area.

4.3.1 Environmental Management Sea Area

- Environmental management sea areas are divided into environmental conservation sea areas and special management sea areas in accordance with Article 15 of the 「Marine Environment Management Act」, and Ulsan Metropolitan City has designated 'Ulsan Coastal Special Management Sea Area'.
- \circ The total area of 'Ulsan Coastal Specially Managed Sea Area' is 200.85 $\,\rm km^2$, Land area is 144.29 $\,\rm km^2$, and sea area is 56.56 $\,\rm km^2$, which is about 48.6 $\rm km$ to the west of the project site.

	Area	a(km²)		Separation distance	
Category	Land area	Sea area	Location		
Ulsan Coast Specially Managed Waters	144.29	56.56	Parts of Dong-gu, Jung-gu, and Nam-gu in Ulsan Parts of Onsan-eup, Seosaeng-myeon, Onyang- myeon, and Cheongnyang-myeo in Ulju-gunAbout 48.6k west of the project site		
전라남 전라남	을 [기도 충청북 태 도	강원도 도 경상님도	경주시 청도군 말양시 양산시 김해시 부산시	울산연안	

Table 4.3-2 Status of Environmental Conservation Sea Areas

Source: Designated as environment conservation area and special management area (Ministry of Oceans and Fisheries Notice No. 2000-3), February 14, 2000, Ministry of Oceans and Fisheries

Category	Details
Marine Environment Management Act	 Article 15 (Designation and Management of Environmental Management Sea areas) Where deemed necessary for the preservation and management of the marine environment, the Minister of Oceans and Fisheries may designate and manage environmental conservation areas and special management areas (hereinafter referred to as "Environmental Management Seas") according to the following sub-paragraphs. In this case, consultations with the head of the relevant central administrative agency and the competent Si/Do Governor shall be made in advance. 1. Environmental conservation sea area: Among sea areas with good marine environment and ecosystem, the sea area that requires continuous management for the maintenance of marine environmental standards pursuant to Article 13 (1) of the "Marine Environment Conservation and Utilization Act., determined and publicly notified by the Minister of Oceans and Fisheries(including land directly affecting marine pollution) 2. Specially managed sea area: A sea area in which it is difficult to maintain marine environment standards under Article 13 (1) of the Marine Environment Conservation and Utilization Act, or a sea area where there is or is likely to cause a significant obstacle to the conservation of the marine environment and ecosystem; Sea areas determined and publicly notified by the Minister of Fisheries (including land directly affecting marine pollution) (2) The Minister of Oceans and Fisheries may cancel or change the designation of all or part of the designation of the environmental management sea is achieved, or if the designation purpose is lost. In this case, consultation shall be made in advance with the Mayor/Do Governor in charge of the target area. (3) The Minister of Oceans and Fisheries shall consider the following matters when designating, canceling or changing the environmental management area under paragraphs (1) and (2). 1. Results of investigation of persistent pollutants under Article 39; 2. Resu
Source: 「Marine E	nvironment Management Act Ministry of Oceans and Fisheries

 Table 4.3-3
 Designation of environmental conservation sea area

Category	Details
Marine Environment Management Act	Article 15-2 (Restrictions on Activities in Environmental Management Areas, etc.) (1) The Minister of Oceans and Fisheries shall measure and investigate the marine environment condition and pollution sources in the environment conservation area according to Article 13 (1) of the 「Marine Environment Conservation and Utilization Act」. Where it is recognized that there is a risk of serious damage to public health or the growth of living things by exceeding marine environmental standards, the installation or change of facilities prescribed by Presidential Decree in the environmental conservation area may be restricted.
	Article 10 (Restriction of facility installation in environmental management waters)
Marine Environment Management Act Enforcement Decree	 The term "facilities prescribed by Presidential Decree" in Article 15-2 (1) of the Act means any of the following facilities. Facilities with a daily wastewater discharge of 2,000 cubic meters or more. However, facilities that introduce wastewater discharged from the facility into public wastewater treatment facilities and public sewage treatment facilities or treat it below the standard for water quality of discharged water under laws and regulations applicable to the area are excluded. In the case of new construction, renovation, extension, or modification pursuant to Article 8 (1) 1 of the Public Waters Management and Reclamation Act, docks, breakwaters, bridges, floodgates, or buildings that must be approved by the management agency.

Table 4.3-4 Limit of behavior in the environmental conservation sea area

Reference : Marine Environment Management Act], Ministry of Maritime Affairs and Fisheries

4.3.2 Natural Environment Conservation Area

- In Ulsan Metropolitan City adjacent to the planned project site, 43.51 km² of natural environment conservation area is designated in accordance with Article 6 of the [「] National Land Planning and Utilization Act」.
- The closest natural environment conservation area was found to be located about 49.5 km west of the project site.

Category	Non-urban area	Natural environment conservation area	The ratio for non- urban areas	Separation distance
Ulsan	382.87 km²	43.51 km²	11.36%	About 49.5km northwest of the project site

Table 4.3-5 Status of Natural Environment Conservation Area

Source: National Statistics Portal (based on 2020), 2021, Statistics Korea

4.3.3 Uninhabitable Islands

- In Ulsan Metropolitan City where the project site is located, a total of 4 uninhabited islands are designated and managed according to Article 10-1 of the 「Act on the Conservation and Management of Uninhabited Islands」 and Article 11 of the enforcement decree of the same Act.
 - The uninhabited island closest to the project site is 'Seonam', which was found to be about 48.1km apart to the west of the WT-1.

Category	Name of the island	Location	Area (m²)	Management type	Separation distance(㎞)
	Myungseondo	San 60, Jinha-ri, Seosaeng- myeon, Ulju-gun	6,744	Available to use	About 57.3km west of the project site
Illean	Mokdo	San 13, Bangdori, Onsan- eup, Ulju-gun	15,074	Absolute preservation required	About 56.0km west of the project site
Uisan	Sunam	Donggu, Ilsan-dong	-	Available to use	About 48.1km west of the project site
	Cheoyongam	668-1, Hwangseong-dong, Nam-gu	622	Semi- preservation needed	About 56.1km west of the project site

Table 4.3-6 Designation status of uninhabited islands

Source: Comprehensive information on uninhabited islands(http://uii.mof.go.kr), Ministry of Oceans and Fisheries

4.3.4 Wetland Protection, Management around Wetlands, Wetland Improvement Areas

- \circ In Ulsan Metropolitan City, which is adjacent to the project site, it was found that one wetland protected area was designated and managed in accordance with Articles 8 and 9 of the "Wetland Conservation Act_].
- It was investigated that the 'Mujechinup' wetland protected area is located about 74.4km to the WT-2.

Category	Name of the area	Location	Characteristics	Designated date (Ramsar registered)	Separation distance(㎞)
Ulsan	Mujechineup	Joili, Ilwon, Samdong-myeon, Ulju-gun, Ulsan	Mountain wetland	1999.08.09. (2007.12.20)	About 74.4km to the west of the project site

 Table 4.3-7
 Designation status of wetland protection areas

Source: Designation status of Wetland protection area (as of December 2020), 2020, Ministry of Environment

4.3.5 Ecology and Landscape Conservation Area

- According to the Article 12 and 23 of the 「Natural Environment Conservation Act」 in Ulsan Metropolitan City, which is adjacent to the project site, it was investigated that there is one city/province ecological landscape conservation area.
- The ecological landscape conservation area, the closest area toi the project site, 'Taehwa River' was found to be located about 54.1km to the west of the WT-1.

Table 4.3-8 Designation status of ecology and landscape conservation areas

Name of the area	Location	Area(㎞)	Characteristics	Date of designation	Separation distance(㎞)
Taehwa River	Downstream of Taehwa River in Myeongchon-dong, Buk-gu, Ulsan	0.983km²	Habitats of wild animals and plants such as migratory birds	2008.12.24	About 54.1km west of the project site
Source: De	esignation Status of Ecol	ogical Lands	cape Conservation Area (as of I	December 2020),	2020, Ministry of Environmen

4.3.6 Fisheries Resource Management Water

- In Ulsan Metropolitan City adjacent to the project site, one fishery resource management water is designated and managed pursuant to Article 48 of the 「Fisheries Resource Management Act」, and the total area is 24.0ha
- It was investigated that the "Fishery Resource Management Water in the Sea Forest Development Area of Jujeon" is located about 46.0km west of the WT-1.

Location	(The conn	Zone of w e inner water lecting A, B, sequenc	ater of the line C, and D in ce)	Туре	Area (ha)	Period of designation	Separation distance(㎞)
	Category	Latitude	Longitude	 Fish such as rockfish, sea bream, and mackerel Shellfish such as abalone, sea urchin, sea cucumber, and conch 			
The sea area	А	35°33.574'	129°27.583'			'16.10.06~'21 .10.05	About 46.0km to the west of
of Jujeon- dong, Dong-	В	35°33.574'	129°27.847'		24.0		
gu, Ulsan	С	35°33.249'	129°27.583'				the project site
	D	35°33.249'	129°27.847'				

 Table 4.3-9 Designation status of fisheries resource management water

Source: Aquatic Resource Management Water Surface Designation Notice (Ulsan Metropolitan City Public Notice No. 2016-1158), 2016.10.06, Ulsan Metropolitan City Hall

4.3.7 Wildlife Conservation Area

 In Ulsan Metropolitan City adjacent to the planned project site, a total of 5 wildlife protection zones are designated and managed in accordance with Article 33 of the 「Wildlife Protection and

Management Act_

• The wildlife protection zone closest to the project site is Songjeong-dong, Buk-gu, Ulsan, which is about 53.4km apart from the WT-1.

Category	Name of region	Location	Area(km [*])	Year of designation	Separation distance(km)
	Songjeong- dong, Buk-gu, Ulsan	San 6-1, Songjeong-dong, Buk- gu, Ulsan	0.28	2003	About 53.4km to the west of the project site
	Myeongchon- dong, Buk-gu, Ulsan	46 parcels and 1000 Myeongchon- dong, Buk-gu, Ulsan Metropolitan City	0.94	2008	About 55.4km to the west of the project site
Ulsan	Seonam-dong, Nam-gu, Ulsan	22 parcels and 42, Seonam-dong, Nam-gu, Ulsan	0.23	2009	About 57.2km to the west of the project site
	Taehwa-dong, Jung-gu, Ulsan	10 parcels and 969-3 Taehwa- dong, Jung-gu, Ulsan	0.74	2008	About 59.7km to the west of the project site
	Mugeudong, Nam-gu, Ulsan	48 parcels and 3, Mugeo-dong, Nam-gu, Ulsan	1.55	2009	About 60.9km to the west of the project site

 Table 4.3-10 Designation status of wildlife protection area

Data: Designation status of wildlife protection zones, 2018, Ministry of Environment

4.3.8 Natural Park

- According to Article 4 of the 「Natural Parks Act」, a total of two natural parks are designated and managed in Ulsan Metropolitan City, which is adjacent to the project site.
- The closest natural park to the project site is Mt. Gaji, which is about 73.4km to the west of the WT-1.

Category	Designation	Name of parks	Location	Area(㎞)	Separation distance(㎞)
	Provincial park Gaji Mountain		Ulsan, Gyeongnam Yangsan, Miryang	104.35	About 73.4km to the west of the project site
Ulsan	County park	Shinbul Mountain	Sangbuk-myeon and Samnam- myeon, Ulju-gun, Ulsan	11.59	About 76.8km to the west of the project site

Table 4.3-11	Designation	status o	f Natural	parks

Data: 1. Status of Provincial Parks (As of December 19), 2020, Ministry of Environment

2. Status of county parks (As of December 19), 2020, Ministry of Environment

4.3.9 Protective Goods or Conservation Area

- In Ulsan Metropolitan City, which is adjacent to the project site, a total of 148 protected objects or protected areas have been designated and managed according to Article 27 of the 「Cultural Heritage Protection Act」.
- A total of 30 places turned out to be designated and maintained according to the survey of protected goods or protected areas within a radius of about 5 km based on the coastline of Ulsan Metropolitan City and the protected objects or protection areas closest to the project site is the 'Ugasan Yupo Bongsudae (Provincial Monument No. 13)' which was found to be approximately 47.1km to the west of the WT-1.

Table 4.3-12 Current designation s	status of protected object	cts or	r protected	areas	(within	а
radius of about 5 km f	rom the shoreline)					

Category	Designation type and number	Name	Location	Quantity/La nd cadastre	Separation distance(㎞)
Ulsan	Provincial Monument No.13	Ugasan Yupo Bongsudae	230, Dangdang-dong, Buk-gu and 1 site	1	47.1kmto the west of the project site
	Provincial monument No.44	Daean-dong Sae- Burriter	San 177, Daedan-dong, Buk-gu	1	54.4km to the west of the project site
	Cultural heritage material No.9	Daean-dong Sinheungsa Temple, Goo Daewoongjeon	299, Daedan 4-gil, Buk- gu	1	54.4km to the west of the project site
olitan City	Provincial monument No.44	Gangdong Hwaam Jusangjeolli Cliff	Sea Area Department, 952-1 Sanha-dong, Buk- gu	1	49.6km to the west of the project site
	Provincial monument No.17 Yupo Seokbo		1455-6, Donghaean-ro, Buk-gu	1	48.9km to the west of the project site
	Provincial monument No.38	Kwakam	Under the sea level in Panji Village, Gangdong-dong, Buk-gu	1	47.9km to the west of the project site

Category	Designation type and number	Name	Location	Quantity / Land cadastre	Separation distance(㎞)
	Provincial tangible cultural property No.6	Seated Rock-carved Buddha in Eomul-dong	San 122, Eomul-dong, Buk-gu	3	48.6km to the west of the project site
	Provincial monument No.39	Oesol Choi Hyun-bae birthplace	15 Byeongyeong 12-gil, Jung-gu	1	56.6km to the west of the project site
	Historic site No.320	Ulsan Gyeongsangjwa- do Byeongyeongseong Fortress	149-8, Seodong, Jung-gu, and others	72,895.9 m²	56.8km to the west of the project site
	Historic site No.528	Ulsan Yaksa-dong Embankment	22-28, Jongga 14-gil, Jung-gu	3,599.5 m²	57.5km to the west of the project site
	Cultural heritage material No.7	Ulsan Waseong Fortress	54, Hakseong Park 3-gil, Jung-gu, Ulsan	59,678 m²	57.1km to the west of the project site
	Provincial tangible cultural property No.10	Hyoja Songdo teacher Jeong Ryeo-bi	350-1 in Bukjeong-dong, Jung-gu	1	58.7km to the west of the project site
	Provincial tangible cultural property No.1	Ulsan Dongheon and Naeah	167 Dongheon-gil, Jung- gu	2	58.7km to the west of the project site
Ulsan Metropolit an City	Provincial tangible cultural property No.7	Ulsan Hyanggyo	117, Myeongnyun-ro, Jung-gu	10	59.3km to the west of the project site
	Cultural heritage material No.12	Yugok-dong dinosaur footprints fossils	54-1 area, former Yugok- dong	1	59.3km to the west of the project site
	Cultural heritage material No.1	Lee Hyu jeong	20, Ihyyujeong-gil, Nam- gu	1	60.6km to the west of the project site
	Provincial tangible cultural property No.11	Dongchuksa three-story stone pagoda	93, Okryu-ro, Dong-gu	1	50.0km to the west of the project site
	Provincial monument No.18	Nammokmaseong	14 lots including San197- 1, Dongbu-dong, Dong-gu	1	48.5km to the west of the project site
	Provincial monument No.3	The main beacon	Area around San 192-2, Jujeon-dong, Dong-gu	1	47.4km to the west of the project site
	Provincial monument No.14	Hwajeongcheon Nae Beacon Fire Station	29-2, Bongsu-ro, Dong-gu	1	50.4km to the west of the project site
	National registered cultural property No. 106.	Ulsan Ulgi Lighthouse old light tower	155 Deungdae-ro,Dong- gu	1dong, 3 rd floor, total area 22.4 m²	47.6km to the west of the project site

Table 4.3-12 Continue

Category	Designation type and number	Name	Location	Quantity/La nd cadastre	Separation distance(㎞)
	Provincial monument No.6	Gaeunpo shrine	Around 81 Seongam- dong, Nam-gu	21,899 m²	56.7km to the west of the project site
Ulsan Metropoli	Provincial monument No.4	Cheoyongam	668-1, Hwangseong- dong, Nam-gu	207,000 m ²	56.2km to the west of the project site
tan City	Natural monument No.65	Ulju Mokdo evergreen forest	San 13, Bangdori, Onsan-eup, Ulju-gun	5,074 m²	56.1km to the west of the project site
	Cultural heritage material No.15	Biok-sanseong Fortress	San 294, Deoksin-ri, Onsan-eup, Ulju-gun	1	62.1km to the west of the project site
	Cultural heritage material No.14	Unwhali shrine	San 159, Unhwa-ri, Onyang-eup, Ulju-gun, Ulsan	1	66.9km to the west of the project site
	Provincial monument No.36	Hasan Beacon Fire Station	San 66, Gangyang-ri, Onsan-eup, Ulju-gun	1	57.6km to the west of the project site
Ulsan	Provincial monument No.35	Seosaengpo Manhojinseong	San 68, Hwajeong-ri, Seosaeng-myeon, Ulju- gun	1	59.3km to the west of the project site
	Cultural heritage material No.8	Seosaengpo Japanese Fortress	711 Seosaeng-ri, Seosaeng-myeon, Ulju- gun	91,453.1 m²	58.7km to the west of the project site
	Provincial monument No.15	Seosang Igil Beacon Fire Station	San 36, Nasa-ri, Seosaeng-myeon, Ulju- gun	1	59.0km to the west of the project site

Table 4.3-12 Continue

Source : 1. Cultural Heritage Spatial Information Service (http://gis-heritage.go.kr/main.do), Cultural Heritage Administration 2. Our local cultural heritage, 2021, Cultural Heritage Administration

4.3.10 Natural Monument

- \circ In Ulsan Metropolitan City, which is adjacent to the project site, three natural monuments have been designated and managed according to Article 25 of the $\[$ Cultural Heritage Protection Act $\]$.
- The closest natural monument to the project site is 'Ulju Mokdo Evergreen Forest', which is located about 56.2km to the west of the WT-2.

 Table 4.3-13 Status of natural monument designation

Category	Name	Location	Quantity/Area	Date of designation	Separation distance(㎞)
	Ginkgo tree in Guryang-ri, Ulju (Natural Monument No. 64)	860 Guryang-ri, Duseo-myeon, Ulju-gun	1	1962.12.07	75.5km to the west of the project site
Ulsan	Ulju Mokdo Evergreen Forest (Natural Monument No. 65)	San 13, Bangdori, Onsan-eup, Ulju-gun	5,074 m²	1962.12.07	56.2km to the west of the project site
	Azalea tree colony in Gajisan Mountain. (Natural Monument No. 462)	San 232-2, Deokhyeon- ri, Sangbuk-myeon, Ulju-gun	1,116,035 m²	2005.08.19	86.4km to the west of the project site

Source: Our local cultural heritage, 2021, Cultural Heritage Administration

4.3.11 Water Source Protection Area

- In Ulsan Metropolitan City, which is adjacent to the project site, it was investigated that two water supply protection zones were designated and managed in accordance with Article 7 of the Supply and waterworks Act₁.
- The water source protection area closest to the project site is the Hoeya Dam, which is located about 61.7km to the west of the WT-1.

Table 4.3-14 Designation status of water source protection areas

Category	Name of the protected area	Designated area	Date of designation	Separation distance(km)
lllsan	Hoeya Dam	5.89	1991.06.08.	61.7km to west of the project site
UISAIT	Daegok (Sayeon) Dam	5.19	2004.12.01.	70.0km to west of the project site

Data: Status of water source protection zones(September 2020), Ministry of Environment

4.3.12 Waterfront Area

- In Ulsan Metropolitan City, which is adjacent to the project site, it was investigated that one waterfront area was designated and managed in accordance with Article 4 of the [¬]Act on Water Management and Resident Support of the Nakdong River System_J.
- The project site was found to be separated about 85.5km to the west of the water front area of Sangbuk-myeon, Uljugun (Only Icheon-ri and Sohori) and of the WT-1.

Table 4.3-15 Designation status of waterfront areas

Category	Range	Designated area	Designation date	Separation distance(km)
Ulsan	Sangbuk-myeon, Ulju-gun (only for Icheon-ri and Sohor-ri)	4.96 km²	2002.09.18	85.5km to west of the project site

Data: Designation status of waterfront areas (As of the end of December, 2019), 2020, Ministry of Environment

4.3.13 Forest Genetic Resources Protection Area

- According to Article 7 of the 「Forest Protection Act」, 5 forest genetic resource protection areas have been designated and managed in Ulsan Metropolitan City, which is adjacent to the project site.
- The forest genetic resource protection area closest to the project site is 'Ulsan Daeunsan Wetland', which is 66.7 km to the west of the WT-2.

Table 4.3-16 Designation status of forest genetic resources protection areas

Category	Date of designation	Name of protected area	Location	Designation type	Separation distance(km)
	2008.12.05 Cheonhwangsan San 143-2, Icher myeon, U		San 143-2, Icheon-ri, Sangbuk- myeon, Ulju-gun	Habitats of rare plant species	85.5km to the west of the project site
	2012.11.28	Cheonhwangsan	San 143-1, Icheon-ri, Sangbuk- myeon, Ulju-gun	Habitats of rare plant species	85.5km to the west of the project site
Ulsan	2012.11.28	Cheonhwangsan	San 143-9, Icheon-ri, Sangbuk- myeon, Ulju-gun	Habitats of rare plant species	85.5km to the west of the project site
	2009.11.16	Ulsan Daeunsan Wetland	San 159-1, Unhwa-ri, Onyang-	Forest wetlands and	66.7km to the west
		veland	eup, Olju-gun	valley streams in lorests	of the project site
	2017.06.30	Yeongchuksan	San 253, Gachon-ri, Samnam- myeon, Ulju-gun	Alpine region	82.2km to the west of the project site

Source: Designation Status of National Forest Genetic Resources Protection Area (Final) including tree species at the end of 2019, 2021, Korea Forest Service

4.3.14 Ecological Change Observation Area

- According to Article 31 of the 「Natural Environment Conservation Act」, it was investigated that two areas to observe changes in the ecosystem are managed in Ulsan Metropolitan City, which is adjacent to the project site.
- Meanwhile, the closest area to observe ecological change to the project site is 'Gaji Mountain',
 which is about 73.4km to the west of the project site.

Catego ry	Name of region	Location	Status	Separation distance(km)	Remarks
	Gajisan	Sangbuk-myeon, Ulju-gun, Ulsan Sannae-myeon, Miryang- si, Gyeongsangnam-do	Excellent natural scenery, Various insect habitats (provincial parks)	73.4km to the west of the project site	Areas for odd
Ulsan	Shinbul san	Samnam/Sangbuk-myeon, Ulju-gun, Ulsan	Hornbeam, Mongolian oak, etc. Colony formed	76.8km to the west of the project site	years

 Table 4.3-17 Designation status of areas to observe the change of ecosystem

Data: Status of area observed on the change(as of 21.5.'), 2021, Nakdonggang River Basin Environmental Office

4.3.15 Wintering Sites for Migratory Birds

- Status of Major Migratory Bird Arrival Sites, 2019, Ministry of Environment survey results show that there is a major migratory bird arrival site "Taehwagang River" designated by the Ministry of Environment in Ulsan Metropolitan City, adjacent to the project site.
- As a result of the January 2020 winter bird census by the Ministry of Environment, there are 5 winter migratory bird sanctuaries in Ulsan Metropolitan City where the project site is located.
- The survey on the appearance of endangered species found a total of 5 species in 'Hoeyaho (166)' and one species 'in Busan-Ulsan Coast (172)'. No endangered species were identified in 'Ulsan-Guryongpo Coast (173)', 'Ulsan Bay (174)' and 'Taehwa River (Myeongcheon Bridge-Samho Bridge)' (175).

Table 4.3-18 Status of major migratory bird arrival sites designated by the ministry of environment of Ulsan metropolitan city

Region	Location	Characteristics	Remarks
Taehwa River	Downstream of the Taehwagang River in Ulsan	Habitat of wild animals and plants such as migratory birds	Ecological landscape conservation area

Source: Status of habitats for migratory birds, 2019, Ministry of Environment

No.	Area name	December 2019		January 2020		Endangered wild life identified		Separation	
		Numbe r of specie s	number of individuals	Numbe r of specie s	Number of individuals	Class I	Class II	distance(km)	
166	Hoyaho	28	1,013	27	1,256	1specie s	4specie s	63.0km to the west of the project site	
172	Busan-Ulsan Coast	37	9,221	34	32,730	-	1specie s	52.1km to the west of the project site	
173	Ulsan-Guryongpo Coast	38	26,647	39	11,658	-	-	45.0km to the west of the project site	
174	Ulsan Bay	22	1,411	25	1,218	-	-	50.7km to the west of the project site	
175	Taehwa River (Myeongcheon Bridge - Samho Bridge)	25	105,314	30	96,597	-	-	55.5km to the west of the project site	

Table 4.3-19 Species and number of individuals by area surveyed for migratory birds in winter

Source: Simultaneous Census of Algae in Winter 2019-2020, 2020, National Institute of Biological Resources

4.3.16 Classification of Sea Areas Dividing Ecology

According to the marine environment standard "Notice No. 2018-10 (Jan. 23, 2018) by the Ministry of Oceans and Fisheries " that is under Article 13 of the 「Marine Environment Conservation and Utilization Act」, the project site was investigated as belonging to the 'Open sea of the Korea Strait' and the 'Open sea of the East Sea', and the classification of sea areas is as follows.

Table 4.3-20 Sea area	classification	dividing	ecology
-----------------------	----------------	----------	---------

Sea area name	Range of sea area
Open sea of the Korea Strait	The boundary between the coast of the Korea Strait and the open sea of the Korea Strait (33"51'7"N, 127"48'45"E), the boundary between the coast of the Korea Strait and the southern EEZ (33"51'22"N, 128"23'39"E), the boundary between the coast of the Korea Strait and the eastern EEZ (35"15'44"N, 130"41'17"E), the surface of the sea connecting the boundary(35"43'8"N, 129"44'22"E) between the coast of the Korea Strait and the open sea of the Korea Strait
Open sea of the East Sea	The boundary between the open sea of the east sea and the east coast(35"43'8"N, 129"44'22"E), the eastern EEZ of the open sea of the east sea(35"15'44"N, 130"41'17"E), the eastern side of the EEZ boundary(38"29'47"N, 134"23'37"E), the sea surface connecting the northern boundary of the eastern open sea and the eastern coast(38"37'13"N, 128"39'25"E)

Source: Marine Environment Standards (Ministry of Oceans and Fisheries Notice No. 2018-10), 2018.01. Ministry of Oceans and Fisheries



Figure 4.3-1 Sea Area Classification Map

4.3.17 Ecological Zoning Map

- According to the Article 34 of the 「Natural Environment Conservation Act and the Article 24 and 25 of the same act, ecological zoning map is an index, indicating levels of the nationwide natural environment based on the ecological characteristics such as distribution status of endangered species or protected wildlife biofacies and landscape to utilize in the establishment of development plans, the use of the land and conserve the natural environment by evaluating the ecological value, naturalness, value of the landscape.
- Meanwhile, the ecological zoning map covers about 800 regions across the country (based on 1/25,000 topographic maps). It is not announced separately for island areas that are separated from the mainland due to geographical characteristics and for areas requiring protection and security of military facilities (civilian control areas, etc.).
- Therefore, it was confirmed that, among the facilities subject to this project, the area where the power generation complex and marine cables were located did not have any ecological zoning maps prepared and announced due to geographical factors, and the area where land substations and land cables were located was classified as a grade 3 area.





51

Grade of ecological zoning map	Content
Grade 1	 Areas that become the main habitats, the seasonal home, and major ecological axis or major ecological channel of endangered wildlife(hereinafter referred to as "endangered wildlife") pursuant to Article 2-2 of the 「Wildlife Protection and Management Act」. Areas with excellent ecosystems or beautiful scenery Areas of ecosystem located at the limits of the geographical distribution of living things or areas representing major types of vegetation Regions, where biodiversity is particularly abundant and biological resources with high conservation value exist Other areas with an ecological value equivalent to that of the first-class area, which meet the criteria set by the Presidential Decree. a. Natural native forest or nearby forests or alpine meadows b. Rivers, lakes, and estuaries close to the natural state
Grade 2	• A region equivalent to the first-class area and valuable for future conservation or an area outside the first-class area and necessary for the protection of the first-class area
Grade 3	 Areas subject to development or use other than those classified as first grade, second grade, and separate management areas
Separate manage ment area	 Areas of historical, cultural and scenic value among areas preserved under the provisions of other laws, or areas managed for urban green space conservation, etc. that fall under any of the following items a. Forest protection zone pursuant to Article 7-1 of the 「Forest Protection Act」. b. Natural parks pursuant to Article 2-1 of the 「Natural Parks Act」. c. Areas designated as natural monuments pursuant to Article 25 of the 「Cultural Heritage Protection Act」 (including such protected areas) d. A special wildlife protection zone pursuant to Article 27-1 of the 「Wildlife Protection and Management Act」 or a wildlife protection zone pursuant to Article 40 of the 「National Land Planning and Utilization Act」 (excluding areas included in the sea) f. Wetland protection area pursuant to Article 8-1 of the 「Wetland Conservation Act」 (excluding coastal wetland protection area) g. Baekdudaegan Mountain Range protection area pursuant to Article 12 of the Act. i. Ecological and landscape conservation area of a city/province pursuant to Article 24 of the Act.

	Table 4.3-21	Characteristics	of ecological	zoning ma	p grade
--	--------------	-----------------	---------------	-----------	---------

Source: Article 34 of 「Natural Environment Conservation Act and Articles 24 and 25 of the Enforcement Decree of the same Act, and Environmental Geo-spatial Information Service of the Ministry of Environment

4.3.18 Marine Eco-map

- In accordance with Article 12 of the 「Marine Ecosystem Conservation and Management Act」 and Article 6 of the Enforcement Decree of the same Act, the marine ecology map is used to establish a basic plan by evaluating the ecological and landscape values of marine ecosystems across the country. And it is an index indicating the grade according to the ecological characteristics such as the distribution status of marine protected organisms and marine landscape so that it can be considered in the case of development activities, etc. Reference was made to the "Marine Environment Information Map" presented in the Marine Environment Information Portal of the Ministry of Oceans and Fisheries.
- Meanwhile, according to the Ministry of Oceans and Fisheries Notice No. 2014-182, the marine ecological map targets coastal waters (within 12 nautical miles of territorial sea) nationwide in Korea. Therefore, it was confirmed that the planned project site was located outside the territorial waters limit line and there was no marine ecology map created or announced due to geographical factors, and the sea area near the shore crossing was found to be a first-class area.

Grade of marine eco-map	Content
Grade 1	 a. Areas and sea areas that are the main habitats, spawning areas, and major travel routes of marine protected organisms. b. Areas and waters with particularly excellent marine ecosystems or particularly beautiful marine scenery. c. Areas located in the geographical distribution limit of living things, and regions and sea areas representing the type of marine vegetation. d. Regions and waters where marine biodiversity is particularly abundant and marine resources with high conservational value exit e. Other areas and sea areas with marine ecological value in accordance with the provisions from (a) to (d) that meet the standards prescribed by Presidential Decree. • Area designated as a marine protected area • Area designated as a city/province marine protection zone
Grade 2	 Areas and sea areas equivalent to the first-class area and with future marine ecological conservation value, or areas and sea areas outside of the first-class area and necessary for the protection of the first-class area
Grade 3	 As areas not classified as first- class areas, second-class areas and separate management areas, areas and sea areas subject to development or use
Separate management area	 An area designated by Presidential Decree as a region of scenic value among those preserved under the provisions of other Acts. a. Environmental conservation waters b. Wetland protection area (limited to coastal wetlands) c. Fisheries resources preservation area d. Natural parks (limited to places corresponding to the ocean) e. Areas designated as natural monuments and their protected areas (limited to those corresponding to the ocean) f. Wildlife special protection area (limited to those corresponding to the ocean)

Table 4.3-22 Marine ecology grade characteristics

[†] Conservation and Management of Marine Ecosystems Act Article 12
 2. Ministry of Oceans and Fisheries Notice 2014-182
 3. Marine Environment Information Map, Ministry of Oceans and Fisheries Marine Environment Information Portal (<u>https://www.meis.go.kr/portal/main.do</u>)



Figure 4.3-3 Marine Ecology Map

4.3.19 Specific Sea Areas for Traffic Safety

 It was investigated that a specific traffic safety area was designated in accordance with Article 10 of the 「Maritime Safety Act」 in Ulsan Metropolitan City adjacent to the planned project site. On the other hand, it was investigated that the traffic safety specific waters was located about 35.8km to west of the project site.

				-			-		-
Tahla .	1 2_22	Dociana	ntion et:	atue of	enocific	coa aro	a for tr	affir d	safotv
Table	T.J-2J	Designe	auon su	alus oi	specific	Sea are			Jaicly

Gate gory	Range of specific waters	Separation distance
Ulsan	With 35° 24 ' 37 " north latitude and 129° 27 ' 52 " east longitude, the sea area formed by the arc and Ulsan Port's port line with a radius of 6.0 miles	36.3km to the west of the project site

Source: Enforcement Decree of the Maritime Safety Act [Annex 1], 2021, Ministry of Legislation

4.3.20 The Area of Low Sulfur Oil Supplied and the Range of Facility to Use

 Ulsan Metropolitan City, adjacent to the project site, is an area where diesel with a sulfur content of 0.1% or less and heavy oil(LSWR) with a sulfur content of 0.3% or less is to be used in accordance with the Enforcement Decree of the 「Air Environmental Conservation Act」 [Attachment 10-2].

Table 4.3-24 The supply area of low sulfuric oil and the range of facilities to be used.

1. Low-sulfur oil supply/use area and use period

a. Diesel (sulfur content less than 0.1%): nationwide

Note) In addition to diesel, kerosene, by-product fuel oil No. 1 (kerosene type) according to related

laws such as the $\[\]$ Enforcement Decree of the Petroleum and Alternative Fuel Business Act],

or the 「Waste Control Act」, etc, refined fuel oil regenerated by high-temperature pyrolysis or vacuum distillation can be used.

b. Heavy oil

1) Areas for supply and use of heavy oil (including LSWR) with a sulfur content of 0.3% or less.

By city and province	Supply and use area
Metropolitan city	Seoul, Busan, Daegu, Incheon, Ulsan , Gwangju, Daejeon
Note) 1 In :	addition to beaw oil (including LSWR) with a sulfur content of 0.3% or less, by-product fue

- Note) 1. In addition to heavy oil (including LSWR) with a sulfur content of 0.3% or less, by-product fuel oil No. 2 (medium type) under related laws such as the 「Enforcement Decree of the Petroleum and Alternative Fuel Business Act」 may be used.
 - 2. Seogwipo-si Namjeju thermal power plant must use heavy oil with a sulfur content of 0.5% or less until 2013 and heavy oil with a sulfur content of 0.3% or less from January 1, 2014.

Source: Enforcement Decree of Clean Air Conservation Act [Attachment Table 10-2], Ministry of Environment

4.3.21 Areas for Application of Discharging Standards (Wastewater)

 Among the facilities subject to this project, Onsan-eup in Ulju-gun where the land transmission line and the onshore substation are located were found to be falling under "B" area according to the 'regional designation status for the application of discharging standards (wastewater)'.

Table 4.3-25 Regiona	I designation	status for	r the	application	of	discharging	standards
(wastew	ater)						

Region Administrative district		Clean area	Α	В
	Jung-gu	-	-	All areas
Ulsan	Ulju -gun	Dudong-myeon, Duseo-myeon, Ungchon-myeon (Tongcheon- ri), Cheongnyang-myeon (Jung-ri), Sangbuk-myeon (Icheon-ri)	Samnam-myeon, Samdong-myeon, Onyang-myeon,Seosaeng-myeon, Eonyang-eup, Ungchon-myeon (excluding Tongcheon-ri), Cheongnyang-myeon (excluding Ulsan Petrochemical Complex among Jung-ri and Sangnam-ri), Sangbuk- myeon (excluding Icheon-ri)	All areas except "Clean" areas and "A" areas

Note) The standards for allowing water pollutants to be discharged are divided into clean, "A" and "B" areas depending on the region.

- Clean area: Areas that are recognized as requiring conservation of water quality of the very good (Ia) level of environmental standards of water quality and aquatic ecosystems

- 'A' area: Areas affecting the water quality of water bodies that are considered as having to conserve water quality of good (Ib) and slightly good (II) grades of environmental standards for water quality and aquatic ecosystem
- 'B' area: Areas that may affect the water quality of water bodies that are recognized as having to conserve water quality of normal (III), slightly poor (IV), and poor (V) grades of environmental standards of water quality and aquatic ecosystem
- Source: Regional regulations designated for the application of discharge standards (wastewater), Ministry of Environment Notice No. 2007-107

4.3.22 Special Countermeasure Area

It was investigated that Ulsan Metropolitan City, adjacent to the project site, was designated as a special countermeasure area for atmospheric preservation pursuant to Article 38 of the 「Framework Act on Environmental Policy」. Meanwhile, it was investigated that the special countermeasure area for atmospheric conservation was located about 45.7km to west of the project site.

Table 4.3-26 Designation status of areas for special measures to conserve air quality

Category	Countermeasure area	Separation distance(km)	
Ulsan	Ulsan, Mipo, and Onsan National Industrial Complexes	About 45.7km to west of the project site	

Source: 1. Designation of areas to take special measures for air conservation and comprehensive measures notification for air pollution reduction in the same Area, Ministry of Environment Notice No.2018-23, 2018

Environmental Spatial Information Service (http://egis.me.go.kr/map) /map.do?type=envi)

4.3.23 Coastal Total Pollutant Control Area

- It was investigated that Ulsan Metropolitan City, adjacent to the project site, has been designated as "Ulsan coastal special control area for total pollutant management" in accordance with Article 15 of the Marine Environment Management Act and the Ministry of Oceans and Fisheries Directive No. 404.
- Meanwhile, it was investigated that the "coastal special control area for total pollutant management" is located about 54.1km to the west of the project site.

Table 4.3-27 Designation status of total coastal pollution control zone in Ulsan coastal special management waters

	Among the	waters of the Ulsan Coastal Special Management Area announced		
	pursuant to Article 15-1-2 of the $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$			
Sea	it is a sea area surrounded by the line connecting the ending point of sunkyung sea			
Area	wall of Ulsan New Port(129°22 ′ 22.0646 ″ , 35°27 ′ 4.5063 ″) located in Sunam-dong,			
Control	Namgu of Ulsan and the right upper ending point located in 938, samam-li, Onsan-			
	eup(129°22 ' 24.3107 " , 35°26 ' 50.1569 ") and Ulsan coastline.			
	Nama	Part of Gosa-dong, Duwang-dong, part of Bugok-dong, part of		
Rocin	Nam-gu	Sanggae-dong, part of Seonam-dong, Seongam-dong, and Sinjeong		
control		Onsan-eup Bangdo-ri, part of Sanam-ri, Cheoyong-ri, part of Haknam-		
CONTO	Ulju-gun	ri, part of Hwasan-ri, part of Gaegok-ri of Cheongnyang-myeon, part of		
		Deokha-ri, Sangnam-ri, Yongam-r		

Data: Coastal pollution load management zone (Basic policy for the management of coastal pollution load in special management waters) [Attachment 1], the Ministry of Oceans and Fisheries Directive No. 404.

4.3.24 Air Control Zone

 It was investigated that the entire Ulsan Metropolitan City where the project site is located was designated as an air management area in accordance with Article 1 of the [¬]Special act on the improvement of air control in air control zone [¬] and Article 2 of the Enforcement Decree of the same Act.

 Table 4.3-28 Designation status of air control area

Zone	Classified region	Regional range	
	Busan	whole area	
	Daegu	whole area	
Southea st area	Ulsan	whole area	
	Gyeongsangbuk-do	Pohang-si, Gyeongju-si, Gumi-si, Yeocheon-si, Gyeongsan-si, Chilgok-gun	
	Gyeongsangnam- do	Changwon-si, Jinju-si, Gimhae-si, Yangsan-si, Goseong-gun, Hadong-gun	

Data: Special act on the improvement of air control in air control zone[Attachment 1] 4.3.25 Malodor Control Area • In Ulsan Metropolitan City, which is adjacent to the project site, it was investigated that 4 odor management areas were designated and managed in accordance with Article 6 of the 「Malodor Prevention Act」.

Category		Designation Date	Region designated	Area (1,000 m²)	Remarks
	Nam-gu, Buk-gu, Dong-gu, Ulji-gun	- '05.03.17	Ulsan Mipo National Industrial Complex	46,271	strict standards
Ulsan	Ulju-gun		Onsan National Industrial Complex	24,659	strict standards
		'09.09.02	San 405-3, 1476-1, Hajam-ri, Samdong- myeon, Ulju-gun	10	-
		'14.02.06	ilwon, Joil-ri, Samdong-myeon, Ulju-gun (11 lots)	20	-

Table 4.3-29 Designation status of malodor control areas

Source: Status of malodor control areas, 2021, Ministry of Environment

4.3.26 Total Water Pollution Load Management

- In Ulsan Metropolitan City, which is adjacent to the project site, part of Sangbuk-myeon, Ulju-gun, is found to fall under section A of Miryang according to Article 4 of the 「Water Environment Conservation Act」 and Article 9 of the 「Act on Water Management and Resident Support in the Nakdong River basin」.
- Meanwhile, it was investigated that the project site was located on the public waters, so it did not fall under the total water pollution management basin.

Table 4.3-30 Administrative districts by Nakdonggang River water system unit basin (Ulsan Metropolitan City)

Unit basin	Location	
Milyang A	lcheon-ri, Sangbuk-myeon, Ulju-gun, Ulsan.	
Milyang B	Soho-ri, Sangbuk-myeon, Ulju-gun, Ulsan.	

Source: Status of administrative districts by Nakdonggang River water system basin, 2007.07, Ministry of Environment

Unit basin	Target water quality	Basin area(㎞)	Number of sub-basin	Load allocation (kg/day)
Milyang A	1.4	883.75	21	6,175
Milyang B	2.0	530.47	9	6,347

Source: Status of administrative districts by Nakdonggang River water system basin, 2007.07, Ministry of Environment

4.3.27 Training Zone

- It was investigated that the "R-119" naval training area was designated in Ulsan Metropolitan City adjacent to the project site in accordance with Article 12 of the CAct on Marine Spatial Planning and Management 1.
- Meanwhile, it was investigated that part of the project site violates the 'R-119' naval training area.

Table 4.3-32 Designation status of training zone

Category	Name of a training zone	Remarks
Navy training zone	R-119 zone (offshore Ulsan, East Sea)	Altitude less than 2,500ft

Data: 2020 Yearbook of notice to mariners, 2021, National Oceanographic Research Institute

4.4 Environmental Standard

4.4.1 Marine Environment Standard

According to Article 13 of the 「Marine Environment Conservation and Utilization Act」, "Ministry of Oceans and Fisheries Notice No. 2018-10 (Jan. 23, 2018)" and Article 12 of the 「Framework Act on Environmental Policy」 and Article 2 of the Enforcement Decree of the same Act [Attachment 1], the marine environment standards are as follows.

A. Environmental Standards for Seawater Quality

1) Living environment standards

Table 4.4-1 Standards for living environment in the sea area

Item	Hydrogen ion	Total coliform group	Solvent extraction oil
	concentration(pH)	(Total coliform count 100mL)	(mg/L)
Standard	6.5 - 8.5	Less than 1,000	Less than 0.01

2) Ecology-based seawater quality standard

Table 4.4-2 Water quality index.

Grade	Water Quality Index
I (Very good)	Less than 23
Ⅱ(Good)	24 - 33
Ⅲ(Normal)	34 - 46
IV(Poor)	47 - 59
V (Very poor)	More than 60

Table 4.4-3Water quality index

(calculation by using scores for each item of the water quality index)

WQI(Water Quality Index)

- = 10 × [Low-rise oxygen saturation(DO)]
 - + 6 × [(Phytoplankton concentration(Chl-a) + Transparency(SD))/2]
 - + 4 × [(Dissolved inorganic nitrogen concentration(DIN)
 - + Dissolved inorganic phosphorous concentration(DIP))/2]

Table 4.4-4 Score for each item of the water quality index

Score per	Item			
item	Chl-a(µg/L), DIN(µg/L), DIP(µg/L)	DO(Saturation,%), Transparency(m)		
1	Less than reference value	More than reference value		
2	<reference td="" value+0.10×reference="" value<=""><td>>reference value-0.10×reference value</td></reference>	>reference value-0.10×reference value		
3	<reference 0.25×reference="" td="" value+="" value<=""><td>>reference value- 0.25×reference value</td></reference>	>reference value- 0.25×reference value		
4	<reference 0.50×reference="" td="" value+="" value<=""><td>>reference value- 0.50×reference value</td></reference>	>reference value- 0.50×reference value		
5	≥reference value + 0.50×reference value	≤reference value– 0.50×reference value		

Note) As for the reference value for each item, the reference value for each sea area of the water quality index item is applied.

Table 4.4-5 Reference value of the water quality index by each sea area

Target item Ecologic- al zone	Chl- <i>a</i> (_{µg} /L)	Bottom layer DO (Saturation,%)	Surface DIN (µg/L)	Surface DIP (یو/L)	Transparency(m)
East Sea	2.1		140	20	8.5
Korea Strait	6.3		220	35	2.5
Southwest sea area	3.7	90	230	25	0.5
Central West Sea	2.2	-	425	30	1.0
Jeju	1.6		165	15	8.0

Note) Bottom layer water: Water layer up to 1m from the bottom of the sea floor

3) Marine ecosystem protection standards

Table 4.4-6 Marine ecosystem protection standards (unit: µg/L)

Heavy metals	Copper	Lead	Zinc	Arsenic	Cadmium	Hexavalent chromium (Cr ⁶⁺)	Mercury	Nickel
Short-term standard*	3.0	7.6	34.0	9.4	19.0	200.0	1.8	11
Long-term standards **	1.2	1.6	11.0	3.4	2.2	2.8	1.0	1.8

Note 1)* Short-term standard: Application by comparing with the one-time observational value

2) ** Long-term standard: Application by comparing with the annual average value (data surveyed for minimum 4 seasons)

3) Mercury and nickel are not included in the marine ecosystem protection standards according to Article 12-2 of the Framework Act on Environmental Policy and Article 2[Annex 1] of the Enforcement Decree of the same Act.

4) Human health protection standards

Table 4.4-7 Human health protection standards

Grade	ltem	Standard (mg/L)	ltem	Standard (mg/L)
All sea areas	Hexavalent chromium (Cr6+) Arsenic (As) Cadmium (Cd) Lead (Pb) Zinc (Zn) Copper (Cu) Cyan (CN) Mercury (Hg) Polyloclinated Biphenyl (PCB)	0.05 0.05 0.01 0.05 0.1 0.02 0.01 0.0005 0.0005	Diazinon Parathion Malathion 1.1.1 Trichloroethane Tetrachlorethylene Trichlorethylene Dichloromethane Nenzene Phenol Anionic surfactant (ABS)	0.02 0.06 0.25 0.1 0.01 0.03 0.02 0.01 0.005 0.5

Table 4.4-8 Seabed sediment standards among marine environmental standards (unit: mg/kg)

Marine environment standards	Arsenic	Cadmiu m	Chrome	Copper	Mercury	Nickel	Lead	Zinc
Threshold Effects Level(TEL)	14.5	0.75	116	20.6	0.11	47.2	44.0	68.4
Probable Effects Level(PEL)	75.5	2.72	181	64.4	0.62	80.5	119	157

Note) 1. Threshold Effects Level(TEL): Concentration predicted to have little negative effect

2. Probable Effects Level (PEL): Concentration with a very high probability of developing negative ecological effects

```
3. Application method
```

- For As, Cd, Cr, Hg, Ni, Pb, directly compares the sample and each reference concentration

- Cu and Zn are compared to the reference concentration after Li corrects the measured concentration by the particle size

```
4. How to correct with Li
```

-Cu concentration with correction by Li = ((Cu concentration of the sample-4.10) x11.9)+4.10

```
Li concentration of the sample-21.2
```

-Zn concentration with the correction on the particle size=((Zn concentration of the sample-30.4) x11.9)+30.4

Li concentration of the sample-21.2

- If the Li concentration of the sample is 33.1 ppm or less and if the particle size correction concentration shows a negative value, direct comparison with the caution criteria and the control criteria without a separate particle size correction

B. Marine Environment Standards by Sea Area (Sea water quality)

 The water quality goals to be achieved by each sea area by 2026 are as follows, and the sea area management agency must implement necessary measures to achieve the water quality goals by sea area

Target water quality (WQI)	Applicable sea area	Remarks
Grade I	Hampyeongman Bay, Doamman Bay, Deukryangman Bay, Gamakman Bay, Seomjingang River Estuary, Nakdonggang River Estuary, Taehwagang River Estuary, Open Sea of Central West Sea, Southwest Coastal Sea Area, Open sea of Southwest Waters, Jeju Coast, Jeju Open Sea, Korean Strait Coast, Korean Strait Open Sea, Eastern Coast, Eastern Open Sea	16
Grade Ⅱ	Han River Estuary, Garorim Bay, Cheonsu Bay, Geum River Estuary, Yeongsan River Estuary, Yeoja Bay, Jinhae Bay, Jinhae Bay, Yeongil Bay, Yeongdeok Osipcheon Estuary, Wangpicheon Estuary, Samcheok Osipcheon Estuary, Gangneung Namdaecheon Estuary, Yangyang Namdaecheon Estuary, West Sea Central Coast	15
Grade III	-	
Grade IV	-	
Grade V	-	

Table 4.4-9 Marine environment standards by sea area

4.4.2 Air Quality Standard

• According to Article 12-2 of the Framework Act on Environmental Policy and Article 2 [Attachment 1] of the Enforcement Decree of the same Act, below is the national air environment standard.

Table 4.4-10 Air quality standard

ltem	Standard	National standard	Method	
Sulfurous	Annual average	Less than 0.02ppm		
acid gas	24hour average	Less than 0.05ppm	Pulse U.V. Fluorescence Method	
(SO ₂)	1hour average	Less than 0.15ppm		
Carbon	8hour average	Less than 9ppm		
monoxide (CO)	1hour average	Less than 25ppm	Non-Dispersive Infrared Method	
Nitrogen	Annual average	Less than 0.03ppm		
dioxide	24hour average	Less than 0.06ppm	Chemiluminescent Method	
(NO ₂)	1hour average	Less than 0.10ppm		
Fine dust	Annual average	Less than 50 µg/ m³	6 Poy Absorption Method	
(PM-10)	24hour average	Less than $100\mu\text{g/m}^3$	p Ray Absorption Method	
Cine duct	Annual average	Less than 15µg/m³	Weight concentration method or	
(PM-2.5)	24hour average	Less than 35µg/m³	equivalent automatic measurement method	
	8hour average	Less than 0.06ppm		
O ₃	1hour average	Less than 0.1ppm	U.V. Photometric Method	
Pb	Annual average	Less than 0.5µg/m³	Atomic Absorption Spectrophotometry	
Benzen	Annual average	Less than 5µg/m³	Gas Chromatography	

Note) 1. For the 1-hour average, the 999th percentile value must not exceed the standard, and the 8-hour and 24-hour average values must not exceed the 99th percentile value.

2. Fine dust (PM-10) refers to dust with a particle size of $10\,\mu\text{m}\,$ or less.

3. Fine dust (PM-2.5) refers to dust with a particle size of 2.5μ m or less.

Source: Article 12-2 of the [「]Environmental Policy Framework Act」 and Article 2 of the Enforcement Decree of the same Act [Attachment 1]

4.4.3 Noise Environment Standards

• In accordance with Article 12 of the 「Framework Act on Environmental Policy」 and the Enforcement Decree of the same Act [Annex 1], below is the environmental standard regarding noise.

Table 4.4-11 Noise environment standards

_ .		Noise environment standards(Leq dB(A))				
Region	Applicable target area	Day(06:00~22:00)	Night(22:00~06:00)			
Quantum	"A" area	50	40			
	"B" area	55	45			
General area	"C"area	65	55			
	"D"area	70	65			
	"A" and "B" area	65	55			
Roadside area	"C"area	70	60			
	"D"area	75	70			

Remarks)

1. Classification of applicable areas by regional classification is as follows.

A. "A" area

- 1) Green areas under Article 36 (1) -1- (d) of the 「National Land Planning and Utilization Act」
- 2) Conservation management area under Article 36- (1)- 2- (a) of the National Land Planning and Utilization Act
- 3) Agricultural areas and natural environment conservation areas under Article 36- (1)- 3 and 4 of the National Land Planning and Utilization Act
- 4) Dedicated residential area under Article 30-1-(a) of the 「Enforcement Decree of the National Land Planning and Utilization Act」
- 5) An area within 50 meters from the site boundary of a general hospital under Article 3-(2)-3 -(e) of the Medical Act
- 6) Areas within 50 meters of the school site boundary under Article 2 of the 「Elementary and Secondary Education Act」 and Article 2 of the 「Higher Education Act」
- 7) An area within 50 meters from the site boundary of a public library under Article 2-4 of the Library Act

B. "B" area

- 1) Production management area under Article 36-(1)-2-(b) of the 「National Land Planning and Utilization Act」
- 2) General and quasi-residential areas under Article 30-1- (b) and (c) of the Fenforcement Decree of the National Land Planning and Utilization Act
- C. "C" area
 - 1) Commercial areas under Article 36-(1)-1-(b) of the 「National Land Planning and Utilization Ac t」 and planned management areas under 2-(c) of the same paragraph
 - 2) Semi-industrial areas under Article 30-3-(c) of the ⁽Enforcement Decree of the National Land Planning and Utilization Act
- D. "D" area
 - 1. Exclusive industrial zones and general industrial zones under Article 30-3-(a) and (b) of the Enforcement Decree of the 「National Land Planning and Utilization Act」
 - 2. "Road" means a road with two or more lanes of a certain width necessary for the safe and smooth driving of automobiles (excluding two-wheeled vehicles) in one line.
 - 3. This noise environment standard does not apply to aircraft noise, railway noise and construction work noise.
- Source: [[]Environmental Policy Framework Act] Article 12 and Enforcement Decree of the same Act [Attachment 1]

4.4.4 Vibration Regulation Standards

• According to Article 21-(2) of the 「Noise and Vibration Control Act」 and [Annex 8] of the enforcement

regulations of the same law, it is presented in Table 4.4-12.

Table 4.4-12 Regulation standards for vibration

By time slot	Vibration environm	ent standard (dB(V))
Target area	Day time (06:00~22:00)	Night Time (22:00~06:00)
A. Schools, general hospitals, and public libraries located in community zones, residential development promotion districts, tourism and recreation development promotion districts, natural environment conservation areas, and other areas among residential areas, green areas, and management areas	Less than 65	Less than 60
B. other areas	Less than 70	Less than 65

Remarks) 1. Vibration measurement and evaluation standards are in accordance with the environmental pollution process test standards for fields falling under Article 6-1-2 of the [¬]Environmental Testing and Inspection Act

2. Classification of target areas is in accordance with the 「National Land Planning and Utilization Act」.

3. The regulatory standards are applied based on the target area affected by the daily life vibrations.

4. The vibration regulation standard of a construction site is corrected to the regulatory standard of +10 dB when the working time for using machines and equipment subject to pre-reporting for a specific construction is less than 2 hours a day and +5 dB when it exceeds 2 hours and less than 4 hours.

5. In case of blasting vibration, +10dB is corrected to the regulatory standard only during the daytime.

Source: Noise and Vibration Control Act Article 21-2 and enforcement regulations of the same act [Attachment 8]

4.5 Status of Facilities that Cause Environmental Damage

4.5.1 Environmental Pollutant Discharge Facility

 In Ulsan Metropolitan City, adjacent to the project site, a total of 2,590 environmental pollutant emission facilities are located, with 1,171 for air quality, 1,184 for water quality, and 235 for noise and vibration.

Catagon	Total			Air q	uality			Water quality					Noise	
Calegory	TOLAI	Subto tal	Туре1	Туре2	Туре3	Туре4	Туре5	Subto tal	Type1	Туре2	Туре3	Туре4	Туре5	α Vibration
Ulsan	2,590	1,171	102	50	65	413	541	1,184	44	22	55	70	993	235

Table 4.5-1 Current status of environmental pollutant discharge facilities (unit: location)

Source: 2020 Ulsan Metropolitan City Statistical Yearbook, 2021, Ulsan Metropolitan City Hall

4.5.2 Road

The total roads of Ulsan Metropolitan City adjacent to the project site are 2,415.01 km (pavement rate 98.90%), 1,594.14 km of Gu/gundo (pavement rate 98.40%), 547.38 km of special metropolitan cities (100.00% pavement rate), and 162.42 km of general national roads (100.00% pavement rate).), highway 93.81km (pavement rate 100.00%), and provincial roads 17.26km (pavement rate 100.00%) according to the survey.

Category		Total	Highway	National highway	Special metropolitan city road	Local road	Gu/Gun road
	Open(km)	2,259.39	93.81	157.26	487.03	17.26	1,504.03
	Paved(km)	2,235.53	93.81	157.26	487.03	17.26	1,480.16
Ulsan	Pavement rate(%)	98.90	100.00	100.00	100.00	100.00	98.40
Cicuit	Non-paved(km)	23.864	-	-	-	-	23.86
	Non-opened(km)	155.619	-	5.16	60.34	-	90.12
	Total(km)	2,415.01	93.81	162.42	547.38	17.26	1,594.14

Table 4.5-2 Road status

Source:Road Status by City/Province, 2021, National Statistical Portal

4.5.3 Industrial Complex

 In Ulsan Metropolitan City, which is adjacent to the project site, a total of 30 locations were found: 2 national industrial complexes, 24 general industrial complexes, and 4 agricultural industrial complexes.

Table 4.5-3 Status of industrial and agricultural industrial complexes

Ca	ategory	Name of the complex	Designated area (1,000 m²)	Managing area(1,000 m [*])	Operating company	Status
	NL C	Ulsan & Mipo	48,777	45,595	645	Under construction
	Nation	Onsan	25,939	20,513	263	Under construction
		Maegok	556	556	55	Completed
		Modulization	863	863	27	Completed
		Ehwa	694	694	-	Under construction
		Jungsan	128	128	18	Completed
		Gilcheon	1,516	1,513	81	Under construction
		Shin	2,423	2,404	100	Completed
		Shin	1,585	1,585	67	Completed
		Ulsan (Free Trade)	838	819	33	Completed
		Waji	126	125	26	Completed
		Ulsan High Tech Valley	1,939	1,939	6	Under construction
		Bongye	255	255	7	Completed
		KCC Ulsan	1,165	1,135	18	Under construction
	General	Jeon-eup	72	72	2	Completed
Ulsan		Bancheon	1,373	1,373	49	Completed
		Jakdong	150	150	-	Under construction
		Zhongshan 2nd	364	364	36	Completed
		Maegok 2	77	77	9	Completed
		Maegok 3	158	158	18	Completed
		Ulsan Techno	1,287	1,287	10	Completed
		GW	450	448	-	undevelope d
		Mobile Tech Valley	314	314	-	undevelope d
		Energy fusion	1,017	1,017	3	Completed
		Bangki	136	136	-	undevelope d
		Cheongyang	201	200	-	undevelope d
		Dalcheon	260	260	91	Completed
	Agriculture	Dudong	70	70	4	Completed
	industrv	Duseo	123	123	14	Completed
		Sangbuk	139	139	12	Completed

Firefly Floating Offshore Wind Power Project

Source: Statistical Status of National Industrial Complex(Q1 of 2021), 2021, Korea Industrial Complex Corporation

4.6 Current Status of Major Facilities Subject to Protection

4.6.1 Water Intake Station

 It was investigated that there is one water intake station in Ulsan Metropolitan City, which is adjacent to the project site.

Table 4.6-1 Current status of water intake station

Category	Name	Capacity(m [,] /day)	Average daily water intake(㎡/day)	Source	Supply water purification plant
Ulsan	Hoeya Dam	270,000	187,318	Hoeyaho(including Nakdonggang River)	Hoeya water purification plant

Source: 2019 Water Supply Statistics, 2021, Ministry of Environment

4.6.2 Water Purification Plant

• It was investigated that there are two water purification plants in Ulsan Metropolitan City, which is adjacent to the project site.

Table 4.6-2 Status of water purification plants

Category	Name	Capacity of designed facility (㎡/day)	Application method of water purification	Water supply area
llloon	Chunsang	280,000	Activated carbon filtration	Jung-gu, Buk-gu and parts of Ulju-gun
UISAIT	Hoeya	270,000	Activated carbon filtration	Nam-gu, Dong-gu, Buk-gu and parts of Ulju-gun

Source: 2019 Water Supply Statistics, 2021, Ministry of Environment

4.6.3 Cultural Heritage

 In Ulsan Metropolitan City, which is adjacent to the project site, a total of 150 cultural heritages were identified, including 123 locally-designated cultural assets and 27 nationally-designated cultural assets.

Table 4.6-3 Status of nationally designated cultural properties (Unit: Piece)

Category	Subtotal	National treasure	Treasure	Historical and scenic spots	Natural monument	National intangible cultural property	National folklore	Nationally registered cultural property
Ulsan	27	2	8	6	3	-	2	6

Source: Our local cultural heritage, 2021, Cultural Heritage Administration

Table 4.6-4 Status of locally designated cultural heritage and cultural heritage data (Unit: Piece)

Category	Subtotal	Tangible cultural properties of cities & provinces.	Intangible cultural properties of cities & provinces	Monument of cities & provinces	Folklore of cities & provinces	Cultural Heritage registered in the city & provinces	Cultural property data
Ulsan	123	37	6	46	1	-	33

Source: Our local cultural heritage, 2021, Cultural Heritage Administration

4.7 Current Status of Facilities Environmental Consideration Required

4.7.1 Educational Facilities

• It was found that 452 educational facilities are located in Ulsan Metropolitan City, which is adjacent to the project site.

Category		Total	Kindergarten	Elementary School	Middle School	High school	Special school	Junior college	University	Graduate school	Etc
Liloon	Number of schools	452(1)	198	120(1)	64	58	4	3	2	2	1
UISAN	Number of classes	6,903	936	2,946	1,265	1,369	156	37	45	143	6

Table 4.7-1 Status of educational facilities (Unit: Location)

Note) () is the number of branch schools, not included in the total number

Source: 2020 Ulsan Metropolitan City Statistical Yearbook, 2021, Ulsan Metropolitan City Hall

4.7.2 Medical Facilities

• It was found that 1,368 medical facilities are located in Ulsan Metropolitan City where the project site is located.

Cate	egory	Total	General Hospital	Hospital	Clinic	Special hospital	Nursing hospital	Dental hospit al	Oientel medicine Hospitel	Oriental medicin e clinic	Maternity hospital	Affiliated clinic	Public Health Center	Health Center Branch	Health clinic
Liloon	No.of hospitals	1,368	8	42	602	-	42	388	3	274	-	9	5	8	11
Uisan	No. of beds	15,109	3,043	3,886	952	-	7,023	13	169	23	-	-	,	5	

Table 4.7-2 Status of medical facilities (Unit: Location)

Note) Medical facilities with smaller sizes than health centers are excluded. In hospitals, military hospitals were excluded. And mental hospitals, tuberculosis hospitals and leprosy hospitals are included in special hospitals.

Data : 2020 Ulsan Metropolitan City Statistical Yearbook, 2021, Ulsan Metropolitan City Hall

4.8 Status of Environmental Basic Facilities

4.8.1 Public Sewage Treatment Facilities

 It was found that 16 public sewage treatment facilities are located in Ulsan Metropolitan City, which is adjacent to the project site.

Table 4.8-1 Status of	public sewage	treatment facilities
-----------------------	---------------	----------------------

Categ ory	Name	Location	Capacity (m³/day)	Diischarge amount (m³/day)	Treatment
	Yongyeon	360 Yongyeon-ro, Nam-gu (600-4 Hwangseong-dong)	250,000.0	232,929.1	Others, standard activated sludge method DeNiPho
Ulsan	Bangeogin	3-7 Mipo-dong, Dong-gu	100,000.0	90,889.3	MLE
	Nongso 190, Shirye Saeteo-gil, Buk-gu		100,000.0	89,856.9	MSBR
	Kangdong	615-1 Sanha-dong, Buk-gu	5,000.0	4,268.4	SBR

Table 4.8-1 Continue

Category	Name	Location	Capacity (㎡/day)	Diischarge amount (m³/day)	Treatment
	Onsan	229-1, Dangwol-ri, Onsan-eup, Ulju-gun	120,000.0	107,597.8	DeNiPho
	Eonyang	43-66 Gusu-gil, Ulju-gun	60,000.0	34,287.3	DNR
	Gulhwa	16-1, Gulhwa-ri, Beomseo-eup, Ulju-gun	47,000.0	39,515.9	MSBR
	Hoeya	808, Daedae-ri, Ungchon-myeon, Ulju-gun	32,000.0	30,278.4	Others, standard activated sludge method Symbio
	Sinam	inam 501 Sinam-ri, Seosaeng-myeon, Ulju-gun		408.6	KSBNR
Ulsan	Bonggye	1358-3, Bonggye-ri, Dudong-myeon, Ulju-gun	400.0	370.2	KSMBR
	Nasa	isa 72 Nasa-ri, Seosaeng-myeon, Ulju-gun		258.7	KSBNR
	Ongok town	610-1, Myeongsan-ri, Seosaeng-myeon, Ulju- gun	290.0	0.0	ESSA
	Nasaiju	459 Nasa-ri, Seosaeng-myeon, Ulju-gun	250.0	221.8	KSBNR
	Cheokgwa	1157-66, Cheokgwa-ri, Beomseo-eup, Ulju- gun	230.0	204.4	SNR
	Silli	739-4 Sinam-ri, Seosaeng-myeon, Ulju-gun	200.0	190.1	KSBNR
	Soho	249-1 Sohori, Sangbuk-myeon, Ulju-gun	100.0	92.9	SNR

Source: 2019 Sewerage Statistics, 2020, Ministry of Environment

4.8.2 Excreta Treatment Facility.

 In Ulsan Metropolitan City, which is adjacent to the project site, it was investigated that there is one excreta treatment facility with a capacity of 380.0 m³/day and a throughput of 244.4 m³/day.

Table 4.8-2 Status of excreta treatment facilities

Category	Name	Location	Capacity (m³/day)	Through put (m³/day)	Method	Operation starting date
Ulsan	Onsan Water Quality Improvement Office (Excretion treatment facility)	118, Dangwol-ro, Onsan-eup, Ulju-gun	380.0	244.4	DeNiPho	2014.04.17

Source: 2019 Sewerage Statistics, 2020, Ministry of Environment

4.8.3 Waste Treatment Facilities

A. Reclamation Facility

• In Ulsan Metropolitan City where the project site is located, a total of 3 reclamation facilities were identified: 1 public and 2 private facilities.

Table 4.8-3 Status of Landfill Facilities.

Firefly Floating Offshore Wind Power Project

Cat	egory	Location	Total Iandfill area (m²)	Total landfill capacity (m3)	Residual landfill capacity (㎡)	period of use	Plan for use after landfill
	Public landfill	521, Cheoyong-ro (extended)	158,500	2,615,000	1,632,724	2012 - At the end of the landfill	Green area, etc
Ulsan	Private	2, Sinnyeocheon-ro (Gosa-dong)	13,850	87,931	3,899	1991 - At the end of the landfill	-
	landfill	55, Wonbong-ro, Onsan-eup	34,410	317,265	27,386	2000 - at the end of the landfill	-

Source: 2019 National Waste Generation and Treatment Status, 2020, Ministry of Environment

B. Incineration Facility

• In Ulsan Metropolitan City where the project site is located, it was investigated that there are two incineration facilities: one public incineration facility and one self-incineration facility.

	Category	Location	Target waste	Capacity (ton/day)	Way of incineration	Way of operation	2019 Throughput (ton/day)
llioon	Public incineration	524, Cheoyong-ro	Domestic waste	650	High temperatur e incineration	Continuous	175,884
			General industrial waste	300	General incineration	Continuous	100,281
Sistin	Private incineration	140, Bangeojinsun hwando-ro	used oil,used paper, waste wood, waste synthetic resin , waste synthetic rubber, waste synthetic fiber	400	General incineration	Continuous	47,390

Table 4.8-4 Status of incineration facilities

Source: 2019 National Waste Generation and Treatment Status, 2020, Ministry of Environment

C. Other Waste Treatment Facilities

• In Ulsan Metropolitan City where the project site is located, a total of 11 other waste treatment facilities were identified, including 3 public treatment facilities and 8 private treatment facilities.

Table 4.8-5 Status of other waste disposal facilities

Cate	egory	Location	Name of facility(Company)	Waste to be treated	Capability (ton/day)	Throughp ut in 2019 (ton/year)
		360 Vongveon-ro	Food recycling facility (Anaerobic	Daily waste	40	2,162
	Dublic	500 Tongyeon-to	digestion)	Daily waste	180	23,644
	facilitie s for	118, Dangwol-ro, Onsan-eup	Food recycling facility (Anaerobic digestion)	Daily waste	150	45,163
	other wastes		Screening facility.		2	103
		113-11, Hwasan-ro,	(Transshipment, compression, crushing, volume reduction facilities.	Paper, cans, styrofoam	10	2,142
		Onsan-eup	etc.)	,	1	21
		83, Jangsaengpo-ro (Yeocheon-dong)	Songwon Industrial Co., Ltd.	Sewage sludge	16	2,815
Ulsan		322-9 Sangan-dong	Homeplus Stores Co., Ltd. Ulsan Bukgu branch.	Waste paper	1	145
	Privata	54B 1L Jinjang-dong	Megamart Shinseondowon Mall	Waste paper	2	210
	facilitie	700 Yeompo-ro	Hyundai Motor Co., Ltd.	Waste paper	30	6,170
	other	706 Yeompo-ro	Hyundai Steel Co., Ltd.	Waste paper	24	3,280
	wastes	64 Jinjang Distribution Road	Lotte Shopping Co., Ltd. Jinjang branch of Lotte Mart.	Waste paper	16	420
		78-12 Jinjang Distribution Road	Costco Korea Co., Ltd.	Waste paper	32	454
		36 Chaekgol-gil	Shinyoung Co., Ltd.	Waste paper	32	1,200

Source: 2019 National Waste Generation and Treatment Status, 2020, Ministry of Environment

4.9 Status of Fishing Rights

According to the survey on the status of fishing rights, no fishing rights exist near the project site.
 And based on the investigation of fishing rights in Ulju-gun of Ulsan near the shore crossing, a total of 61 fishing rights exist: 29 cases of aquaculture, 8 cases of village fishing, and 24 cases of zoning fishing.

Category	Type of fishery	License No.	Area(ha)	Period	Kind
Licensed fishery	Seaweed aquaculture	Ulju-gun No. 57	6.00	2015.12.14.~2025.12.13.	Seaweed, etc.
		Ulju-gun No. 47	2.10	2011.11.04.~2021.11.03.	Seaweed, etc.
		Ulju-gun No. 18	5.00	2012.12.28.~2022.12.27.	Kelp, etc.
		Ulju-gun No. 62	16.89	2017.11.17.~2027.11.16.	Seaweed, etc.
		Ulju-gun No. 42	1.71	2013.06.14.~2023.06.13.	Seaweed, etc.
		Ulju-gun No. 43	19.99	2017.12.23.~2027.12.22.	Seaweed, etc.
		Ulju-gun No. 49	10.00	2013.12.17.~2023.12.16.	Seaweed, etc.
	Shellfish aquaculture	Ulju-gun No. 50	19.80	2013.12.30.~2023.12.29.	Abalone, oysters, mussels, etc.
		Ulju-gun No. 30	5.00	2016.12.26.~2026.12.25.	Abalone, etc.
		Ulju-gun No. 64	6.00	2018.10.01.~2028.09.30.	Abalone, conch, other shellfish
	Aquaculture including fish	Ulju-gun No. 19	5.00	2012.12.29.~2022.12.27.	Fish
		Ulju-gun No. 65	2.00	2018.10.01.~2028.09.30.	Fish

Table 4.9-1 Status of fishing rights in Ulju-gun

Table 4.9-1 Continue

Category	Type of fishery	License No.	Area(ha)	Period	Kind
		Ulju-gun No. 48	5.00	2012.01.18.~2022.01.17.	Seaweed, kelp, etc.
		Ulju-gun No. 15	7.00	2012.02.19.~2022.02.18.	Seaweed, abalone, etc.
		Ulju-gun No. 17	3.00	2012.07.25.~2022.07.24.	Seaweed, abalone, etc.
		Ulju-gun No. 28	5.04	2016.06.16.~2026.06.15.	Seaweed, kelp, etc.
		Ulju-gun No. 36	7.80	2017.09.11.~2027.09.10.	Seaweed, kelp, etc.
		Ulju-gun No. 37	6.00	2017.10.17.~2027.10.16.	Seaweed, kelp, etc.
		Ulju-gun No. 39	6.00	2015.12.14.~2025.12.13.	Seaweed, kelp, etc.
	Complex aquaculture	Ulju-gun No. 41	6.00	2014.11.17.~2024.11.16.	Seaweed, kelp, etc.
		Ulju-gun No. 63	3.00	2017.07.25.~2027.07.24.	Seaweed, abalone, etc.
		Ulju-gun No. 66	3.00	2018.10.01.~2028.09.30.	Seaweed, roar, etc.
		Ulju-gun No. 67	5.00	2018.10.01.~2028.09.30.	Seaweed, roar, etc.
Licensed fishery		Ulju-gun No. 68	16.72	2021.02.20.~2031.02.19.	Seaweed, abalone, etc.
		Ulju-gun No. 69	6.00	2021.03.02.~2031.03.01.	Seaweed, kelp, etc.
		Ulju-gun No. 70	4.80	2021.05.22.~2031.05.21.	Seaweed, kelp, etc.
		Ulju-gun No. 71	5.55	2021.06.15.~2031.06.14.	Seaweed, abalone, etc.
	Cooperative	Ulju-gun No. 59	9.45	2018.01.21.~2028.01.20.	Abalone, etc.
	aquaculture	Ulju-gun No. 54 (Limited)	9.60	2020.01.07.~2021.08.06.	Abalone, sea cucumber, etc.
		Ulju-gun No. 58	95.66	2018.01.21.~2028.01.20.	-
		Ulju-gun No. 60	9.29	2018.01.21.~2028.01.20.	-
		Ulju-gun No. 61	17.80	2018.01.21.~2028.01.20.	-
	Village aquaculture	Ulju-gun No. 51	25.01	2014.02.07.~2024.02.26.	-
	5 1	Ulju-gun No. 52	4.00	2014.05.02.~2024.05.01.	-
		Ulju-gun No. 56	19.00	2014.11.03.~2024.11.02.	-
		Ulju-gun No. 55	12.70	2014.11.13.~2024.11.12.	-
		Ulju-gun No. 53(Limited)	23.80	2020.01.07.~2021.08.06.	-
Prmi-tted fishery		No. 2019-00001	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00002	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00003	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00004	5.00	2019.01.01.~2023.12.31.	-
	Stationary net fishery	No. 2019-00005	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00006	5.00	2019.01.01.~2023.12.31.	-
	(∠oning fishery)	No. 2019-00007	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00008	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00009	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00010	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00011	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00012	5.00	2020.04.03.~2023.12.31	-

70

Category	Type of fishery	License No.	Area(ha)	Period	Kind
Permitted fishery	Net fishing (Zoning fishing)	No. 2019-00013	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00014	2.50	2020.04.01.~2023.12.31.	-
		No. 2019-00015	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00016	2.50	2019.01.01.~2023.12.31.	-
		No. 2019-00017	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00018	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00019	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00020	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00021	5.00	2019.01.01.~2023.12.31.	-
		No. 2019-00022	2.50	2019.01.01.~2023.12.31.	-
		No. 2019-00023	5.00	2019.01.01.~2023.12.31.	-
	Beach seine fishing (Zoning fishing)	No. 2019-00001	104.00	2019.01.01.~2023.12.31.	-

Table 4.9-1 Continue

Source: Ulju-gun Fishing Zone Status, 2021, Ulju-gun Office



Figure 4.9-1 Status of Fishing Right


Picture 4-10 Map on the Overall Status of the Region

73

Ch. 5

Setting of Evaluation Items & Scope

- 5.1 Extraction of factors environmentally influencing
- 5.2 Designation of evaluation items
- 5.3 Establishment of evaluation scope & method for each evaluation item
- 5.4 Environmental status survey & planning

Chapter 5. Setting of Evaluation Items and Scope

5.1 Extraction of Factors Environmentally Influencing

- Environmental influencing factors were established in consideration of items expected to affect the natural ecological environment, atmospheric environment, water environment, land environment, living environment, and social and economic environment at each stage of the project process, especially under construction or operation.
- Environmental impact factors consider the characteristics of the then project and target area, and 「 Study on the Environmental Impact Assessment Methods for Tidal and Offshore Wind Power Projects:
 II. Offshore Wind Power Project, 2012, Korea Environmental Policy and Evaluation Institute」 and 「 Study on Strategic Environmental Evaluation Methods for Offshore Energy Development: I. Focusing on Site Estimation of Offshore Wind Power Projects, 2014, Korea Environmental Policy and Evaluation Institute」 Therefore, important factors were extracted among the long-term and short-term environmental factors.

Category	Confinal	Environmental influencing factors
Construction phase (during construction)	 Wind power generator Transmission line Substation Field office 	 Occurrence of the suspended sediment due to the offshore construction Occurrence of scattering dust, exhaust gas, waste oil, noise & vibration, etc. due to the operation of construction equipment Generation of sewage and waste due to the input of construction manpower
Operational phase (during operation)	 Wind power generator operation 	 Changes in seawater flow due to the suspended sediments arising out of offshore wind power Changes in the movement of algae due to offshore structures Generation of underwater noise & electromagnetic fields due to generator operation

Table 5 1-1	Extraction of environmental impact factors	s
	Extraction of characteristic inpact factors	

5.2 Designation of Evaluation Items

The evaluation items for this project are set by referring to the 「Regulations on the preparation of environmental impact assessment, etc. (Ministry of Environment Notification No. 2020-289), December 12, 2020, Ministry of Environment 」 and environmental impact assessment reports of similar projects(offshore wind power).

- Key evaluation items: 9 items, general evaluation items: 8 items, excluded items: 6 items

	_
Category	Evaluation Item
Key item(9)	 Terrestrial fauna & flora, marine fauna & flora, natural environment assets, air quality, greenhouse gases, marine environment, topography & geology, noise & vibration, radio wave interference
General item(7)	 Meteorology, water quality, land use, soil, eco-friendly resource circulation, landscape, industry
Excluded item(7)	 Bad odor, repair/sluice gates, amusement, sanitation/public health, sunlight disturbance, population, housing

Table 5.2-1 Setting results of evaluation items

Table 5.2-2 Designation results & reasons for detailed evaluation items

Evaluation item Reason for selection		Item setting	
	Terrestrial flora & fauna	 Review the impact of project implementation on terrestrial ecosystems (including birds) 	۲
Natural ecology	Marine flora & fauna	 Review of the impact on marine animals and plants due to the spread of floating soil during offshore construction 	۲
Atmospheric environment Atmospheric environment Aauatic environment	Natural environment assets	 Review the impact on natural environment assets around the project district 	۲
	Weather	 Use of atmospheric modeling basic data, etc. 	0
Atmospheric	Air quality	 Air pollutants generated by using equipment during the construction 	۲
environment	Bad odor	$^{\circ}$ No impact on bad odor due to the nature of the business	-
	Greenhouse gas	 Changes in GHG emissions due to the operation of construction equipment and wind power generators 	۲
	Water quality	$^{\circ}$ Contaminants generated by earth works during construction	0
Aquatic	Hydrogeology	\circ Change in the exclusion system	0
environment	Marine environment	 The spread of suspended sediment due to maritime construction Changes in seawater flow due to the installation of offshore wind floating structure 	۲
	Land use	$^{\circ}$ Changes in the use of land and marine space due to the project.	0
Land	Soil	 The operation of construction equipment causes soil pollution factors 	0
environment	Topography & Geology	 Changes in submarine topography occurred due to the installation of structures 	۲
	Eco-friendlv. Resource circulation	 Sewage and household waste generated according to hiring personnel during construction. Waste oil caused by the operation of construction equipment. 	0
	Noise & vibration	 Effect of noise and vibration from the input of construction equipment during the construction. The effect of (underwater) noise caused by wind turbines during operation. 	۲
Livina environment	Recreation	 There is no effect on entertainment according to the business characteristics and the project location (EEZ sea area) 	-
	Landscape	 Changes in the ocean landscape according to the wind power generator structure. 	0
	Hvoiene & public health	 There is no effect on hygiene and public health due to the nature of the project. 	-
	Radio wave interruption	 Effect of electromagnetic waves on the operation of power generation facilities during operation. 	۲
	Interference on the sunlight	\circ Due to the nature of the business, there is no interference on sunlight	-
	Population	$^{\circ}$ No impact on the population due to the nature of the business.	-
Societv & Economv &	Housing	$^{\circ}$ There is no effect on housing due to the nature of the project.	-
Environment	Industry	 Changes in industrial activities such as reduction of fishing area due to the project. 	0

Note) Key evaluation items: , General evaluation item: •

5.3 Establishment of Evaluation Scope and Method for Each Evaluation Item

• The scope of evaluation and evaluation method for each evaluation item selected during the environmental impact assessment according to the implementation of this project are as follows

Such stien items		Scope of	Evaluation method		
Evaluation	on items	evaluation	Current status survey	Prediction & evaluation	
	Terrestrial flora & fauna	Project site and surrounding areas(Bird) (within 0.5km radius of the land area)	 Survey contents: Survey on the current status of the terrestrial ecosystem Flora, vegetation, fauna, inland water organism) Bird status survey (Migratory birds, legally protected species, etc.) Survey method: Field survey 	 Survey on the status of the terrestrial ecosystem Review of bird movement and habitats changes due to the installation of structures 	
Natural ecology environment	Marine flora & fauna	Project site and surrounding areas (within a 5km radius of the sea area)	 Survey Contents: Survey on the current status of the marine ecosystem Animal and phytoplankton, fish roe and fingerling, sub-tidal benthic animals, intertidal benthic animals, fish and aquatic resources, marine mammals, etc. Survey period: Four-season survey Survey method: Field survey 	 Identify the habitats environment of marine animals and plants, and quantitatively predict the impact and extent of the impact on the ecosystem due to the spread of suspended sediment during the project 	
	Natural environment Asset	Project site and surrounding areas	 Survey content: Current status of natural environment assets Survey method: Field research and literature research 	 Prediction of distribution and impact of natural environment assets through the existing data and field research 	
	Weather	Weather station near the project site	 Survey content: Meteorological conditions in the project district Survey method: Data analysis from nearby meteorological stations 	 Analysis of meteorological data for the past 10 years at the weather station near the project district 	
Atmospheric environment	Air quality	Project site and surrounding areas	 Survey contents: Air quality survey Survey period: Four-season survey Survey method: Field survey 	 Current survey results and the prediction & analysis of the impact on the air quality of nearby temperature facilities following the air pollutants generated under construction(AERMOD) 	
	Greenhouse gas	Project site and surrounding areas	 Survey content: Greenhouse gas emission status, status survey per the emission source Survey method: Analysis on the statistical data 	 Making methods to predict the increase and decrease of greenhouse gases & how to reduce 	
Water environment	Water quality	Project site & Surrounding water system	 Survey content: Source emitting pollutants & the status of water system Survey method: Field research and literature research 	 Prediction & evaluation of the impact on the surrounding water system Analysis of the amount of soil loss and sewage generation by the operation of the field office during construction. 	

Table 5.3-1 Evaluation scope and evaluation method for each environmental impact assessment item

Table 5.3-1 Table Continue

Evaluation items		Assessment	Assessment method		
		scope	Field survey	Prediction/Assessment	
Water quality	Marine environm ent	Project site and surrounding area (within a 5km radius of the sea area)	 Content: Survey on the current status of sea water quality, sea bottom quality, and marine physics (Tide, wave, continuous tidal current, continuous suspended sediment, distribution of spatial suspended sediment, marine bottom material survey) Survey period: Four-season survey Survey method: Field survey 	 Review the results of analysis on the current status of the marine environment in the waters surrounding the project district Predicting the impact on the marine environment through numerical model experiments Seawater flow, sediment movement, suspended sediment spread, wave deformation experiments, etc. 	
	Land use	Project site and surrounding areas	 Content: Land use status by usage and category Survey method: business plan analysis, literature data analysis 	 Review of compatibility with higher- level plans (coastal management area plan, basic electricity supply & demand plan, etc.) 	
Land environment	Soil	Project site and surrounding areas	 Content: Identify the status of soil contamination Period: Four-season survey Method: Field survey & literature research 	 Identification of the possibility of soil pollution caused by the project implementation and establishment of reduction measures 	
	Topography , geology	Project site and surrounding areas	 Content: Topography & geology conditions, soil properties, ground safety, status of conservation areas Method: Field survey 	 Prediction of topographical changes according to project implementation Estimation construction volume and establishing a supply & demand plan for materials. 	
Living environment	Environment- friendly resource circulation	Site subject to the project	 Contents: Amount of waste generated and status of treatment Method: Field survey & literature research 	 Estimating the amount of waste generated during construction and operation by characteristics Prediction of sewage and waste oil occurring during construction 	
	Noise & Vibration	Project site and surrounding areas (within a 5km radius of the sea area)	 Contents: Survey on the sources of noise & vibration, survey on the status of noise & vibration, survey on the status of underwater noise Period: Four-season survey Underwater noise: Four-season survey Method: Field survey 	 Predicting the impact of operation of construction equipment during construction Predicting the impact of operation of power generation facilities during operation Composite noise calculation formula and point sound source distance attenuation formula applied 	
	Landscape	Project site and surrounding areas	 Content: Survey on the current situation of the landscape Method: Field survey and landscape simulation prediction 	 Identification of landscape elements in the project area and surrounding areas Prediction of landscape changes due to project implementation 	
	Radio wave interference	Project site and surrounding areas (Areas around the transmission line)	 Content: Survey on the cases of damage due to radio waves occurred from similar projects Method: Literature review and business plan analysis 	 Prediction and review of the effects of electromagnetic fields due to the operation of power generation facilities 	
Social economic environment	Industry	Project site and surrounding areas	 Content: Identify fishing practices in the project district and surrounding areas Method: Literature data analysis 	 Review the impact of fishing practices 	

5.4 Environmental Status Survey and Planning

- The environmental status survey of the project site and neighboring areas will be conducted by establishing a detailed on-site survey plan within the scope of impact.
- As described above, the detailed survey status and plans for each evaluation item to understand the environmental status of the project site and surrounding areas are as follows.
- * As the survey on the north part is difficult to be conducted because it is very close to the military exercise zone (R-119), that area is excluded from survey points.

℁During winter survey

Categ	ory	Survey subject	Survey point	survey period & plan	
	Terrestrial flora	 The distribution and habitats status of terrestrial animals & plants Natural monuments and legally protected species 	Land transmission line within a radius of 0.5 km	4 times	
	& fauna	 Sea bird (resident and migratory birds, legally protected species, etc.) 	Waters nearby power generation complex and cable corridors	More than 4 times	
Natural eco- environment field	Marine flora & fauna	 Phytoplankton (Top, middle and low layers) Zooplankton (Top layer, middle/low layer) Sub-tidal benthic animals Fish and aquatic resources Roe and fingerling Intertidal benthic lives (including algae) Marine protected species (Sea grass, etc.) 	22 survey points 22 survey points 22 survey points 8 survey points 22 survey points 4 survey points Nearby shore crossing points	4 times	
		∘ Marine Mammals	Power generation complex & sea areas nearby cabler corridors	More than 4 times	
Atmospheric environment	Air quality	 PM-10, PM-2.5, SO₂, NO₂, CO, O₃, Pb, Benzene (8 items) 	3 points	4 times	
Water environment	Marine physics	 Tide Wave Continuouse current by layer Continuous suspended sediment by layer Suspended sediment spatial distribution, 	1 survey point 2 survey points 3 survey points 3 survey points 22 survey points	4 times	
		CTD (water temperature, salinity) • Sea bed survey	(Top, middle, low) 22 survey points	1 time	
Water environment	Sea water quality	 Water temperature, salinity, pH, COD, DOC, TOC, DO, SPM, total number of coliform,TSS, T-N, T-P, DIN, DIP, Cr6+, As, Cd, Pb, Zn, Cu, Al, Hg, Ni, Fe, Mn, CN, phenol, Chl-a, solvent-extracted oil, transparency, low-layer DO saturation (31 items) 	22 points (Top, middle, low)	4 times	
	Marine sediment	 Particle size, moisture content, ignition loss, AVS(Acid-volatile sulfides), COD, TOC, As, Cd, Cr, Cu, Fe, Hg, Ni, Pb, Zn, Li, CN, AI, TPHs, PAHs (20 items) 	22 points		
Land environment	Soil	 Cd, Cu, As, Hg, Pb, Cr⁶⁺, Zn, Ni, F, Organic phosphorus compounds, PCB, CN, Phenols, Benzene, Toluene, Xylene, PCE, Ethylbenzene, TPH, TCE, Benzo(a)pyrene, 	3 points	4 times	

Table 5.4-1 Preliminary survey items, locations and periods



Firefly Floating Offshore Wind Power Project

Picture 5.4-1 Survey Point Location for Physical Oceanography



Picture 5.4-2 Survey Point Location for Offshore Fauna & Flora and Sediment & Water Quality



Picture 5.4-3 Survey Point Location for Underwater Noise

Firefly Floating Offshore Wind Power Project



Picture 5.4-4 Survey Point Location for Environmental Quality (air quality, soil, noise/vibration)



84



Picture 5.4-5 Survey Point Location for Onshore Ecosystem

Picture 5.4-6 Survey Point Location for Sea Birds and Marine Mammals



Chapter 6. Review on Summary Process

The total power generation capacity of this project is 810 MW (15 MW × 54 units), which is 810 percent of the minimum size subject to environmental impact assessment (100 MW). It does not fall within the scope of special summary procedures for environmental impact assessment under Article 51 of the Environmental Impact Assessment Act and Article 64 of the Enforcement Decree of the Act.

	Table 6-1	Review of	f Application	for Summary	^v Evaluation	Procedures
--	-----------	------------------	---------------	-------------	-------------------------	-------------------

Corresponding Project	Applicability
 A project in which the size of it is less than 200% of the minimum EIA scale according to [Attachment 3] and has little impact on the environment. 	It is 810% of the minimum scale (100MW) and does not fall under the summary evaluation procedure. X Size: 810MW/100MW = 8.10 times
 A project that does not include any of the following areas with high environmental and ecological preservation value in the project area. 	Areas with high environmental and ecological conservation value not included
A. Ecological and natural first-class areas under Article 34 of the Natural Environment Conservation Act	N/A
B. Wetland protection areas and management areas around wetlands under Article 8 of the 「Wetlands Conservation Act」	N/A
C. Natural parks pursuant to Article 2 - 1 of the 「Natural Parks Act」	N/A
D. Special wildlife protection zones and wildlife protection zones under Articles 27 and 33 of the 「Wildlife Protection and Management Act」.	N/A
E. A protected area pursuant to Article 2-5 of the 「Cultural Heritage Protection Act」.	N/A
F. Waterfront zones pursuant to Article 4 of the 「Act on Water Management & Resident Support in the Geum River Basin」.	N/A
G. Waterfront areas pursuant to Article 4 of the 「Act on Water Management & Residents Support in the Nakdong River Basin」.	N/A
H. Waterfront areas pursuant to Article 4 of the 「Act on the Management of Water and Support for Residents in the Yeongsan & Seomjin River Basins」	N/A
I. Waterfront areas pursuant to Article 4 of the 「Act on the Improvement of Water Quality & Support for Residents of the Riverhead of the Han River System」	N/A
J. Water source conservation areas pursuant to Article 7 of the Sewerage Act	N/A

Data: Article 64 of the 「Enforcement Decree of the Environmental Impact Assessment Act」, Ministry of Environment

Ch. 7

Plan for Collecting Opinions from Residents

7.1 Overview of collecting opinions from

residents

7.2 A plan to collect opinions

Chapter 7 Plan for Collecting Opinions from Residents

7.1 Briefing on Gathering Residents' Opinions

7.2 Plan to Gather Consensus

7.2.1 A Plan to Collect Opinions from Residents on Decisions such as Environmental Impact Assessment Items, etc.

 This evaluation preparation report was prepared and submitted to determine the EIA items and scope. According to Article 24 of the 「Environmental Impact Assessment Act」 and Article 33 of the Enforcement Decree of the same Act, residents' opinions on EIA items will be collected by disclosing the contents decided by EIA review to the host organization (Ulju-gun) or the approval organization (Ministry of Trade, Industry and Energy) information communication network and the EIA information and communication network (EIASS) for more than 14 days.

7.2.2 A Plan for Collecting Opinions from Residents, etc. on the draft EIA report

A. Plan to Gather Consensus from Related Agencies

• The opinions of related agencies on the draft EIA report on this project will be drafted in accordance with Article 25 of the 「Environmental Impact Assessment Act」 and Article 35 of the Enforcement Decree of the same Act, and submitted to the relevant administrative agency to collect opinions.

Category	Submit to	Remarks
Host City/Gun/Gu	Ulju-gun Office (Ulsan Metropolitan City)	10 copies
Related City/Gun/Gu	Dong-gu Office (Ulsan Metropolitan City)	5 copies
Approving agency	Ministry of Trade, Industry and Energy	5 copies
Consulting agency	Ministry of Environment	20 copies
Local Environmental Office	Nakdong River Basin Environmental Office	3 copies
Mayor/governor of jurisdiction	Ulsan Metropolitan City Hall	3 copies

Table 7.2-1 Institutions the EIA report will be submitted

B. A plan to gather opinions from residents

- In accordance with Article 25 of the 「Environmental Impact Assessment Act」 and Article 36 of the enforcement decree of the same act, collected opinions from the residents will be announced in the information & communication network of the host agency(Ulju-gun Office), newspaper(central daily newspapers, local daily newspapers) and environmental impact assessment support system(EIASS) within 10 days of the draft receipt. After consultation with the organizer (Ulju-gun Office) and related organizations (Dong-gu Office), a draft environmental impact assessment will be put in places where residents can easily access, such as the competent department of each institution and the local community center.
- In addition, the organizing agency (Ulju-gun Office) plans to disclose a summary of the draft environmental impact assessment report to help residents understand.
- The residents' briefing session will be held during the disclosure period of the draft environmental impact assessment pursuant to Article 39 of the Enforcement Decree of the 「Environmental Impact Assessment Act」, including a plan to hold a briefing session when the draft is announced. And the venue will be selected through consultation with the organizer (Ulju-gun Office).
- \circ Meanwhile, in accordance with Article 40 of the Enforcement Decree of the <code>「Environmental Impact Assessment Act」</code>, a separate public hearing will be held if the opinions of residents submitted within seven days of completion of the public hearing meet the requirements to hold a hearing.

Category	Detailed plan for collecting opinions from residents	Remarks
Public exhibition&Hearing	 Announcement period: within 10 days after receiving the draft Announcement method Newspaper: 1 time each in daily newspapers & local newspapers Information & communication network posting: Ulju-gun Office: Environmental Impact Assessment Information Support System (EIASS) Public exhibition & hearing period: 20 days (within 60 days, excluding public holidays and Saturdays) Venue: Ulju-gun Office, Dong-gu Office, Ulsan Metropolitan City 	-
Presentation	 Notice: Notice included in the draft of the public exhibition Date: 7 days after the beginning of the public exhibition on the draft Location: Decide after the consultation with the host agency(Ulju-gun Office) 	-
Public hearing	 Requirement: Residents requesting the hearing should be more than 30 or 5 people, accounting for 50% of the residents who submitted opinions. 	-

 Table 7.2-2 Detailed plan for collecting residents' opinions on the draft environmental impact assessment report.

C. Disclosure of opinion gathering results

 After completion of the procedure to gather opoinions stipulated in Article 25 of the 「Environmental Impact Assessment Act」, the results and whether the business plan will be reflected shall be determined with the information and communication network of the competent authority (Ulju-gun Office) or approval agency (Ministry of Trade, Industry and Energy) prior to request for consultation on the environmental impact assessment report. It is planned to be posted on the Environmental Impact Assessment Information Support System (EIASS) for more than 14 days.



The Strategic EIA Ch. 8 Consultation & its Reflection

Chapter 8. The Strategic EIA Consultation & its Reflection

- This project is to build an offshore wind farm with the entire capacity of 810 MW EEZ public water, 60~70 km away from the eastern Ulsan Port in Ulsan Metropolitan City, which is electric facilities as prescribed in Article 2 (16) of 「 Electric Utility Act 」.
- Meanwhile, this project is not based on 「Electric Power Source Development Promotion Act」 and not included in prearranged area for electric power resource development business. So, it is not subject to a master development plan for strategic environmental impact assessment.
- In addition, as implemented with the permission to use public waters following [Public Waters Management and Reclamation Act], this project is not subject to a strategic environmental impact assessment.

Table 8-1 Master Development Plan for Strategic EIA

Category	Type of Master Development Plan	When to request consultation	Remark
C. Energy Development	According to Article 11 of 「Electric Power Source Development Promotion Act 」, <u>designated place as a prearranged</u> <u>area for electric power resource</u> <u>development business</u>	According to Article 11 (3) of 「Electric Power Source Development Promotion Act」, when the Ministry of Trade, Industry and Energy consult with the head of the related administrative agency.	N/A

Reference: [Table 2] of 「Enforcement Decree of the Environmental Impact Assessment Act」, Ministry of Environment



Chapter 9 Appendix

9.1 Document about Generation Business Permission



Footnote) The project implementer is Equinor South Korea and the permission for generation businesses gets approved in the name of SPC including the project implementer

아사업구역 라표(유효범위	(P3):	
NO.01 (35'35'5.91'N, 130' 5'18.79	E) NO.02 (35'35'5.93'N, 130'10	'32.50"E)
10.05 (35'31'22'31'11, 130'10'8'45	6 E) NO.04 (35'33'7'10'N, 130'1 FE) NO.06 35'30'39.53'N, 130'1	1 24 15 E) (59 62 E)
10.07 (35'30'36'05')1, 130' 6'42 2	4'E) NO.08 (35'30'57.97'N, 130'	5'51.40'E)
NO.11 (35'29'5.33'N, 130' 0'11.44	E) 110.12 (35'31'22.76'11, 129'5	6'27.95'E)
10.13 (35'32'22.76'), 129'57'548	18°E)	-
이사업주체: 과이어플라이플!	로딩오프쇼어윈드 주식회사	ADMED) / 2021 08 25
		010mm v 207mm (18 A) 71 120m